

Section 1: Identification of the Substance/Mixture and of the Company/Undertaking

1.1 Product identifier

Product Name • **AccuInk**

Product Description • Black liquid.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified use(s) • Water-based inkjet ink

1.3 Details of the supplier of the safety data sheet

Manufacturer • IKONICS Corporation
4832 Grand Ave.
Duluth, MN 55807
United States
www.ikonics.com
sds@ikonics.com

Telephone (General) • (218) 628-2217

Telephone (General) • (800) 328-4261 - Toll free

1.4 Emergency telephone number

Chemtrec • 1-800-424-9300 - Within USA and Canada
• +1 703-527-3887 - Outside USA and Canada (collect calls accepted)

Section 2: Hazards Identification

UN GHS

According to: UN Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

2.1 Classification of the substance or mixture

UN GHS • Skin Irritation 2
Skin Sensitization 1
Eye Irritation 2

2.2 Label elements

UN GHS

WARNING



Hazard statements • Causes skin irritation
May cause an allergic skin reaction
Causes serious eye irritation

Precautionary statements

Prevention • Avoid breathing dust, fume, gas, mist, vapors and/or spray.
Wash thoroughly after handling.
Contaminated work clothing should not be allowed out of the workplace.
Wear protective gloves/protective clothing/eye protection/face protection.

Response • IF ON SKIN: Wash with plenty of soap and water.

If skin irritation or rash occurs: Get medical advice/attention.
Take off contaminated clothing and wash before reuse.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice/attention.
Specific treatment, see supplemental first aid information.

Storage/Disposal • Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

2.3 Other hazards

UN GHS • No data available

United States (US)

According to: OSHA 29 CFR 1910.1200 HCS

2.1 Classification of the substance or mixture

OSHA HCS 2012 • Skin Irritation 2
Skin Sensitization 1
Eye Irritation 2

2.2 Label elements

OSHA HCS 2012

WARNING



Hazard statements • Causes skin irritation
May cause an allergic skin reaction
Causes serious eye irritation

Precautionary statements

Prevention • Avoid breathing dust, fume, gas, mist, vapors and/or spray.
Wash thoroughly after handling.
Contaminated work clothing should not be allowed out of the workplace.
Wear protective gloves/protective clothing/eye protection/face protection.

Response • IF ON SKIN: Wash with plenty of soap and water.
If skin irritation or rash occurs: Get medical advice/attention.
Take off contaminated clothing and wash before reuse.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice/attention.
Specific treatment, see supplemental first aid information.

Storage/Disposal • Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

2.3 Other hazards

OSHA HCS 2012 • No data available

Canada

According to: WHMIS

2.1 Classification of the substance or mixture

WHMIS • Other Toxic Effects - D2B

2.2 Label elements

WHMIS




- Other Toxic Effects - D2B

2.3 Other hazards

WHMIS

- No data available

2.4 Other information



See Section 12 for Ecological Information.

Section 3 - Composition/Information on Ingredients

3.1 Substances

3.2 Mixtures

Composition			
Chemical Name	Identifiers	%	Classifications According to Regulation/Directive
Water	CAS:7732-18-5 EC Number:231-791-2 EINECS:231-791-2	< 80%	WHMIS: UN GHS: OSHA HCS 2012:
Proprietary humectants		< 30%	WHMIS: UN GHS: OSHA HCS 2012:
Proprietary dye/colorant		< 10%	WHMIS: UN GHS: OSHA HCS 2012:
Isopropyl alcohol	CAS:67-63-0 EC Number:200-661-7 EU Index:603-117-00-0 UN:UN1219 EINECS:200-661-7	< 2%	WHMIS: Other Toxic Effects - D2A; Other Toxic Effects - D2B; Flam. Liq. - B2 UN GHS: Skin Irrit. 3; Eye Irrit. 2; Skin Sens. 1B; Asp. Tox. 1; Acute Tox. Oral 5; STOT RE 1; Flam. Liq. 2; Repr. 2 OSHA HCS 2012: Eye Irrit. 2; Skin Sens. 1B; Asp. Tox. 1; STOT RE 1; STOT SE 3: Narc.; STOT SE 3: Resp. Irrit.; Flam. Liq. 2; Repr. 2
Proprietary antimicrobial/antifungal agent		< 1%	WHMIS: UN GHS: OSHA HCS 2012:

See Section 11 for Toxicological Information.

Section 4 - First Aid Measures

4.1 Description of first aid measures

- Inhalation**
- IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, give artificial respiration and call 911 or emergency medical service.
- Skin**
- IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse.
- Eye**
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
- Ingestion**
- If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Rinse mouth. Never give anything by mouth to an unconscious person. If large quantities are swallowed, call a physician immediately.

4.2 Most important symptoms and effects, both acute and delayed

- Refer to Section 11 - Toxicological Information.

4.3 Indication of any immediate medical attention and special treatment needed

Section 5 - Firefighting Measures

5.1 Extinguishing media

Suitable Extinguishing Media • SMALL FIRES: Dry chemical, CO₂, water spray or regular foam.
LARGE FIRE: Water spray, fog or regular foam.

Unsuitable Extinguishing Media • No data available

Firefighting Procedures • LARGE FIRES: Use extinguishing agent suitable for type of surrounding fire.
Fire fighters should wear complete protective clothing including self-contained breathing apparatus.
Keep unauthorized personnel away.
Ventilate closed spaces before entering.

5.2 Special hazards arising from the substance or mixture

Unusual Fire and Explosion Hazards • Some of these materials may burn, but none ignite readily.

Hazardous Combustion Products • Products of combustion include: carbon oxides (CO_x), sulfur oxides (SO_x).

5.3 Advice for firefighters

- Structural firefighters' protective clothing provides limited protection in fire situations ONLY; it is not effective in spill situations where direct contact with the substance is possible.
Wear chemical protective clothing that is specifically recommended by the manufacturer. It may provide little or no thermal protection.
Wear positive pressure self-contained breathing apparatus (SCBA).

Section 6 - Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal Precautions • Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate enclosed areas.

Emergency Procedures • No emergency procedures are expected to be necessary if material is used under ordinary conditions as recommended. Use normal clean up procedures.

6.2 Environmental precautions

- LARGE SPILLS: Prevent entry into waterways, sewers, basements or confined areas.

6.3 Methods and material for containment and cleaning up

Containment/Clean-up Measures • Use appropriate Personal Protective Equipment (PPE)
Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in suitable container.

6.4 Reference to other sections

- Refer to Section 8 - Exposure Controls/Personal Protection and Section 13 - Disposal Considerations.

Section 7 - Handling and Storage

7.1 Precautions for safe handling

Handling • Use good safety and industrial hygiene practices.

7.2 Conditions for safe storage, including any incompatibilities

Storage • Store away from extreme heat. Do not freeze.

7.3 Specific end use(s)

- Refer to Section 1.2 - Relevant identified uses.

Section 8 - Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits/Guidelines						
	Result	ACGIH	Argentina	Australia	Belgium	Brazil
Isopropyl alcohol (67-63-0)	STELs	400 ppm STEL	500 ppm STEL [CMP-CPT]	500 ppm STEL; 1230 mg/m ³ STEL	400 ppm STEL; 1000 mg/m ³ STEL	Not established
	TWAs	200 ppm TWA	400 ppm TWA [CMP]	400 ppm TWA; 983 mg/m ³ TWA	200 ppm TWA; 500 mg/m ³ TWA	310 ppm TWA LT; 765 mg/m ³ TWA LT
Exposure Limits/Guidelines (Con't.)						
	Result	Canada Alberta	Canada British Columbia	Canada Manitoba	Canada New Brunswick	Canada Northwest Territories
Isopropyl alcohol (67-63-0)	STELs	400 ppm STEL; 984 mg/m ³ STEL	400 ppm STEL	400 ppm STEL	500 ppm STEL; 1230 mg/m ³ STEL	400 ppm STEL
	TWAs	200 ppm TWA; 492 mg/m ³ TWA	200 ppm TWA	200 ppm TWA	400 ppm TWA; 983 mg/m ³ TWA	200 ppm TWA
Exposure Limits/Guidelines (Con't.)						
	Result	Canada Nova Scotia	Canada Nunavut	Canada Ontario	Canada Quebec	Canada Saskatchewan
Isopropyl alcohol (67-63-0)	STELs	400 ppm STEL	500 ppm STEL; 1228 mg/m ³ STEL	400 ppm STEL	500 ppm STEV; 1230 mg/m ³ STEV	400 ppm STEL
	TWAs	200 ppm TWA	400 ppm TWA; 983 mg/m ³ TWA	200 ppm TWA	400 ppm TWA; 983 mg/m ³ TWA	200 ppm TWA
Exposure Limits/Guidelines (Con't.)						
	Result	Canada Yukon	Chile	China	Denmark	Egypt
Isopropyl alcohol (67-63-0)	STELs	500 ppm STEL; 1225 mg/m ³ STEL	500 ppm STEL LPT; 1230 mg/m ³ STEL LPT	700 mg/m ³ STEL	Not established	500 ppm STEL; 1230 mg/m ³ STEL
	TWAs	400 ppm TWA; 980 mg/m ³ TWA	350 ppm TWA LPP; 858 mg/m ³ TWA LPP	350 mg/m ³ TWA	200 ppm TWA; 490 mg/m ³ TWA	Not established
Exposure Limits/Guidelines (Con't.)						
	Result	Finland	France	Germany DFG	Germany TRGS	Hong Kong
Isopropyl alcohol (67-63-0)	STELs	250 ppm STEL; 620 mg/m ³ STEL	400 ppm STEL [VLCT]; 980 mg/m ³ STEL [VLCT]	Not established	Not established	500 ppm STEL; 1230 mg/m ³ STEL
	TWAs	200 ppm TWA (listed under Propanol); 500 mg/m ³ TWA (listed under Propanol)	Not established	Not established	200 ppm TWA AGW (The risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed, exposure factor 2); 500 mg/m ³ TWA AGW (The risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed, exposure factor 2)	Not established
	Ceilings	Not established	Not established	400 ppm Peak; 1000 mg/m ³ Peak	Not established	Not established
	MAKs	Not established	Not established	200 ppm TWA MAK; 500 mg/m ³ TWA MAK	Not established	Not established
Exposure Limits/Guidelines (Con't.)						
	Result	Indonesia	Ireland	Japan	Korea	Mexico
Isopropyl alcohol	Ceilings	Not established	Not established	400 ppm Ceiling;	Not established	Not established

(67-63-0)				980 mg/m3 Ceiling		
	STELs	Not established	400 ppm STEL	Not established	400 ppm STEL (Serial No. 471); 980 mg/m3 STEL (Serial No. 471)	500 ppm STEL [LMPE-CT]; 1225 mg/m3 STEL [LMPE-CT]
	TWAs	400 ppm TWA; 983 mg/m3 TWA	200 ppm TWA	Not established	200 ppm TWA (Serial No. 471); 480 mg/m3 TWA (Serial No. 471)	400 ppm TWA LMPE-PPT; 980 mg/m3 TWA LMPE-PPT
Exposure Limits/Guidelines (Con't.)						
	Result	New Zealand	NIOSH	Norway	OSHA	Philippines
Isopropyl alcohol (67-63-0)	TWAs	400 ppm TWA; 983 mg/m3 TWA	400 ppm TWA; 980 mg/m3 TWA	100 ppm TWA; 245 mg/m3 TWA	400 ppm TWA; 980 mg/m3 TWA	400 ppm TWA; 980 mg/m3 TWA
	STELs	500 ppm STEL; 1230 mg/m3 STEL	500 ppm STEL; 1225 mg/m3 STEL	Not established	Not established	Not established
Exposure Limits/Guidelines (Con't.)						
	Result	Poland	Portugal	Russia	Singapore	South Africa
Isopropyl alcohol (67-63-0)	STELs	1200 mg/m3 STEL [NDSCh]	400 ppm STEL [VLE-CD]	50 mg/m3 STEL (vapor)	500 ppm STEL; 1230 mg/m3 STEL	500 ppm STEL; 1225 mg/m3 STEL
	TWAs	900 mg/m3 TWA [NDS]	200 ppm TWA [VLE-MP]	10 mg/m3 TWA (vapor)	400 ppm PEL; 983 mg/m3 PEL	400 ppm TWA; 960 mg/m3 TWA; 980 mg/m3 TWA (regulated under Propane-2-ol)
Exposure Limits/Guidelines (Con't.)						
	Result	Spain	Sweden	Switzerland	Taiwan	Venezuela
Isopropyl alcohol (67-63-0)	MAKs	Not established	Not established	200 ppm TWA [MAK]; 500 mg/m3 TWA [MAK]	Not established	Not established
	STELs	400 ppm STEL [VLA-EC]; 1000 mg/m3 STEL [VLA-EC]	250 ppm STV; 600 mg/m3 STV	400 ppm STEL [KZW]; 1000 mg/m3 STEL [KZW]	Not established	400 ppm STEL [VTRE-LB]
	TWAs	200 ppm TWA [VLA-ED] (the partial or complete commercialization or use of this substance as a phytosanitary or biocide compound is prohibited); 500 mg/m3 TWA [VLA-ED] (the partial or complete commercialization or use of this substance as a phytosanitary or biocide compound is prohibited)	150 ppm LLV; 350 mg/m3 LLV	Not established	400 ppm TWA; 983 mg/m3 TWA	200 ppm TWA [VTRE-L-8/40]
	Biological Limit Values (BLV)	40 mg/L urine end of workweek Acetone [1; F; I]	Not established	Not established	Not established	Not established

Exposure Control Notations

Switzerland

•Isopropyl alcohol (67-63-0): **Developmental Risk Groups:** (Developmental Risk Group C)

Portugal

•Isopropyl alcohol (67-63-0): **Carcinogens:** (A4 - Not Classifiable as a Human Carcinogen)

Singapore

•Isopropyl alcohol (67-63-0): **Odour Threshold - High:** (490 mg/m3) | **Odour Threshold - Low:** (8 mg/m3) | **Irritation:** (490 mg/m3)

South Africa

•Isopropyl alcohol (67-63-0): **Skin:** (Skin Notation)

Brazil

•Isopropyl alcohol (67-63-0): **Skin:** (skin designation)

Chile

•Isopropyl alcohol (67-63-0): **Carcinogens:** (A4 - Not Classifiable as a Human Carcinogen)

Ireland

•Isopropyl alcohol (67-63-0): **Skin:** (Potential for cutaneous absorption)

ACGIH

•Isopropyl alcohol (67-63-0): **Carcinogens:** (A4 - Not Classifiable as a Human Carcinogen)

Germany DFG

•Isopropyl alcohol (67-63-0): **Pregnancy:** (no risk to embryo/fetus if exposure limits adhered to)

Exposure Limits Supplemental**Switzerland**

•Isopropyl alcohol (67-63-0): **Biological Limit Values:** (25 mg/L Medium: urine Time: end of shift Parameter: Acetone; 25 mg/L Medium: whole blood Time: end of shift Parameter: Acetone)

Argentina

•Isopropyl alcohol (67-63-0): **BEIs:** (2 mg/g Creatinine urine Acetone)

Venezuela

•Isopropyl alcohol (67-63-0): **Biological Exposure Indices:** (40 mg/L urine end of shift at end of workweek Acetone (F,Ne))

ACGIH

•Isopropyl alcohol (67-63-0): **BEIs:** (40 mg/L Medium: urine Time: end of shift at end of workweek Parameter: Acetone (background, nonspecific)) | **TLV Basis - Critical Effects:** (CNS impairment; eye and upper respiratory tract irritation)

Germany TRGS

•Isopropyl alcohol (67-63-0): **BELs:** (25 mg/L Medium: whole blood Time: end of shift Parameter: Acetone; 25 mg/L Medium: urine Time: end of shift Parameter: Acetone)

8.2 Exposure controls**Engineering Measures/Controls**

- Local exhaust is recommended but not required. Provide adequate ventilation as necessary.

Personal Protective Equipment**Pictograms****Respiratory**

- In case of insufficient ventilation, wear suitable respiratory equipment.

Eye/Face

- Wear protective eyewear (goggles, face shield, or safety glasses).

Hands

- Wear protective gloves - rubber or neoprene.

Skin/Body

- Wear protective clothing - apron or other impervious body coverings.

General Industrial Hygiene

- Handle in accordance with good industrial hygiene and safety practice.

Considerations**Environmental Exposure Controls**

- No data available

Section 9 - Physical and Chemical Properties**9.1 Information on Physical and Chemical Properties**

Material Description			
Physical Form	Liquid	Appearance/Description	Viscous liquid.
Color	Black	Odor	Mild
Odor Threshold	No data available		
General Properties			
Boiling Point	> 100 °C(> 212 °F)	Melting Point/Freezing Point	< 0 °C(< 32 °F)
Decomposition Temperature	Not relevant	pH	7 to 10
Specific Gravity/Relative Density	1.01 to 1.1 @ 25 °C(77 °F) Water=1	Water Solubility	Miscible
Viscosity	2 to 6 Centipoise (cPs, cP) or mPas @ 25 °C(77 °F)	Explosive Properties	Not relevant
Oxidizing Properties:	Not relevant		
Volatility			
Vapor Pressure	No data available	Vapor Density	No data available

Evaporation Rate	No data available	VOC (Wt.)	< 3 %
Volatiles (Wt.)	< 80 %		
Flammability			
Flash Point	No data available	UEL	Not relevant
LEL	Not relevant	Autoignition	Not relevant
Flammability (solid, gas)	Not relevant		
Environmental			
Half-Life	No data available	Octanol/Water Partition coefficient	No data available
Coefficient of water/oil distribution	No data available	Bioaccumulation Factor	No data available
Bioconcentration Factor	No data available	Biochemical Oxygen Demand BOD/BOD5	No data available
Chemical Oxygen Demand	No data available	Persistence	No data available
Degradation	No data available		

9.2 Other Information

- No data available

Section 10: Stability and Reactivity

10.1 Reactivity

- No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

- Stable under normal temperatures and pressures.

10.3 Possibility of hazardous reactions

- Hazardous polymerization will not occur.

10.4 Conditions to avoid

- Avoid freezing. Excess heat.

10.5 Incompatible materials

- Strong oxidizing agents. Strong acids.

10.6 Hazardous decomposition products

- No decomposition is expected under normal storage and use conditions. Hazardous decomposition products formed under fire conditions - carbon oxides (COx), sulfur oxides (SOx).

Section 11 - Toxicological Information

11.1 Information on toxicological effects

GHS Properties	Classification
Acute toxicity	UN GHS• OSHA HCS 2012•
Skin corrosion/Irritation	UN GHS•Skin Irritation 2 OSHA HCS 2012•Skin Irritation 2
Serious eye damage/Irritation	UN GHS•Eye Irritation 2 OSHA HCS 2012•Eye Irritation 2
Skin sensitization	UN GHS•Skin Sensitizer 1 OSHA HCS 2012•Skin Sensitizer 1
Respiratory sensitization	UN GHS• OSHA HCS 2012•
Aspiration Hazard	UN GHS• OSHA HCS 2012•
Carcinogenicity	UN GHS• OSHA HCS 2012•
Germ Cell Mutagenicity	UN GHS• OSHA HCS 2012•

Toxicity for Reproduction	UN GHS• OSHA HCS 2012•
STOT-SE	UN GHS• OSHA HCS 2012•
STOT-RE	UN GHS• OSHA HCS 2012•

Route(s) of entry/exposure • Skin, Eye

Potential Health Effects

Inhalation

Acute (Immediate) • May cause irritation.

Chronic (Delayed) • Repeated and prolonged exposure may cause irritation.

Skin

Acute (Immediate) • Causes skin irritation. May cause an allergic skin reaction.

Chronic (Delayed) • Repeated and prolonged exposure may cause sensitization.

Eye

Acute (Immediate) • Causes serious eye irritation.

Chronic (Delayed) • Repeated and prolonged exposure may be harmful.

Ingestion

Acute (Immediate) • May cause irritation.

Chronic (Delayed) • No specific information available.

Section 12 - Ecological Information

12.1 Toxicity

- No data available

12.2 Persistence and degradability

- No data available

12.3 Bioaccumulative potential

- No data available

12.4 Mobility in Soil

- No data available

12.5 Results of PBT and vPvB assessment

- No data available

12.6 Other adverse effects

Section 13 - Disposal Considerations

13.1 Waste treatment methods

Product waste • Dispose of content in accordance with local, regional, national, and/or international regulations.

Packaging waste • Dispose of container in accordance with local, regional, national, and/or international regulations.

13.2 Other Information

- Dispose of wastes in an approved waste disposal facility.

Section 14 - Transport Information

	14.1 UN number	14.2 UN proper shipping name	14.3 Transport hazard class(es)	14.4 Packing group	14.5 Environmental hazards
--	----------------	------------------------------	---------------------------------	--------------------	----------------------------

DOT	NDA	NDA	NDA	NDA	NDA
IMO/IMDG	NDA	NDA	NDA	NDA	NDA
IATA/ICAO	NDA	NDA	NDA	NDA	NDA

14.6 Special precautions for user

• None specified.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

• Not relevant.

14.8 Other information

DOT • Not regulated.

IMO/IMDG • Not regulated.

IATA/ICAO • Not regulated.

Section 15 - Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

SARA Hazard Classifications • Acute

State Right To Know				
Component	CAS	MA	NJ	PA
Isopropyl alcohol	67-63-0	Yes	Yes	Yes

Inventory						
Component	CAS	Australia AICS	Canada DSL	China	EU EINECS	Japan ENCS
Isopropyl alcohol	67-63-0	Yes	Yes	Yes	Yes	Yes

Inventory (Con't.)						
Component	CAS	Korea KECL	New Zealand	Philippines PICCS	TSCA	
Isopropyl alcohol	67-63-0	Yes	Yes	Yes	Yes	

Australia

Labor

Australia - High Volume Industrial Chemicals List

•Isopropyl alcohol 67-63-0

Australia - List of Designated Hazardous Substances - Classification

•Isopropyl alcohol 67-63-0 F, Xi R11, R36, R67

Environment

Australia - Priority Existing Chemical Program

•Isopropyl alcohol 67-63-0 Candidate chemical

Canada

Labor

Canada - WHMIS - Classifications of Substances

•Isopropyl alcohol 67-63-0 B2, D2B (including 70%)

Canada - WHMIS - Ingredient Disclosure List

•Isopropyl alcohol 67-63-0 1 %

Canada Alberta

Environment

Canada - Alberta - Ambient Air Quality Objectives

•Isopropyl alcohol 67-63-0 3190 ppbv 1 hour average;
7850 µg/m³ 1 hour average

China

Other

China - Dangerous Goods List

•Isopropyl alcohol 67-63-0

Europe

Other

EU - CLP (1272/2008) - Annex VI - Table 3.2 - Classification

•Isopropyl alcohol EU - CLP (1272/2008) - Annex VI - Table 3.2 - Labelling	67-63-0	F; R11 Xi; R36 R67
•Isopropyl alcohol EU - CLP (1272/2008) - Annex VI - Table 3.2 - Safety Phrases	67-63-0	F Xi R:11-36-67 S:(2)-7-16-24/25-26
•Isopropyl alcohol	67-63-0	S:(2)-7-16-24/25-26
Germany		
Environment		
Germany - Water Classification (VwVwS) - Annex 2 - Water Hazard Classes		
•Isopropyl alcohol	67-63-0	ID Number 135, hazard class 1 - low hazard to waters
Hong Kong		
Labor		
Hong Kong - Dangerous Substances Regulations - Classification		
•Isopropyl alcohol	67-63-0	Flammable (listed under Propanol, all isomers)
Hong Kong - Dangerous Substances Regulations - Particular Risks		
•Isopropyl alcohol	67-63-0	R-11 (listed under Propanol, all isomers)
Hong Kong - Dangerous Substances Regulations - Safety Precautions		
•Isopropyl alcohol	67-63-0	S-6/8, S-13 (listed under Propanol, all isomers)
Other		
Hong Kong - Dangerous Goods - Category 5 - Substances Giving Off Flammable Vapour		
•Isopropyl alcohol	67-63-0	Class 1, Division 2
India		
Environment		
India - Hazardous Chemical Rules - List of Hazardous and Toxic Chemicals		
•Isopropyl alcohol	67-63-0	
Japan		
Labor		
Japan - ISHL Dangerous Substances		
•Isopropyl alcohol	67-63-0	Flammable substance (listed under Substances whose flash points are ≥ 0 °C and < 30 °C)
Japan - ISHL Harmful Substances Requiring Workers to Subject to Medical Exams		
•Isopropyl alcohol	67-63-0	(when produced and handled indoors)
Japan - ISHL Harmful Substances Whose Names Are to be Indicated on the Label		
•Isopropyl alcohol	67-63-0	≥ 1 % weight (listed under Propyl alcohol)
Japan - ISHL Notifiable Substances		
•Isopropyl alcohol	67-63-0	≥ 0.1 % weight [Ordinance Table 2] (listed under Propyl alcohol)
Japan - ISHL Prevention of Organic Solvent Poisoning		
•Isopropyl alcohol	67-63-0	Class 2 Organic Solvent
Environment		
Inventory - Japan - Industrial Safety and Health Law Substances (ISHL)		
•Isopropyl alcohol	67-63-0	2-(8)-319
Other		
Japan - Chemical Substance Control Law (CSCL) - Examined Existing Chemical Substances		
•Isopropyl alcohol	67-63-0	Readily biodegradable
Japan - Fire Service Law - Hazardous Materials		
•Isopropyl alcohol	67-63-0	Group 4 - Flammable liquids II (listed under Alcohols)
Japan - ISHL Working Environment Evaluation Standards - Administrative Control Levels		
•Isopropyl alcohol	67-63-0	200 ppm ACL
Singapore		
Environment		

Singapore - Petroleum and Flammable Materials - Hazard Classes

•Isopropyl alcohol 67-63-0 3

Singapore - Petroleum and Flammable Materials - Regulated Products

•Isopropyl alcohol 67-63-0 SCDIPA1219L2

United States

Environment

U.S. - CERCLA/SARA - Section 313 - Emission Reporting

•Isopropyl alcohol

67-63-0

1.0 % de minimis concentration (only if manufactured by the strong acid process, no supplier notification)

United States - Pennsylvania

Labor

U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List

•Isopropyl alcohol

67-63-0

15.2 Chemical Safety Assessment

- No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

Section 16 - Other Information

Relevant Phrases (code & full text)

- H315 - Causes skin irritation
- H317 - May cause an allergic skin reaction
- H319 - Causes serious eye irritation
- P261 - Avoid breathing dust, fume, gas, mist, vapours and/or spray.
- P264 - Wash thoroughly after handling.
- P272 - Contaminated work clothing should not be allowed out of the workplace.
- P280 - Wear protective gloves/protective clothing/eye protection/face protection.
- P302+P352 - IF ON SKIN: Wash with plenty of soap and water.
- P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P321 - Specific treatment, see supplemental first aid information.
- P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
- P337+P313 - If eye irritation persists: Get medical advice/attention.
- P362 - Take off contaminated clothing and wash before reuse.
- P501 - Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Classification method for mixtures

- Calculation method.

Last Revision Date

- 06 March 2012

Preparation Date

- 15 January 2016

Other Information

- Approved by: Troy Bergstedt, Director of Chemical Research, (218) 628-2217 ext.142.

Disclaimer/Statement of Liability

- The information contained herein is based on data available to us and is believed to be correct. Since this information may have been obtained in part from independent laboratories or other sources not under direct supervision, no representation is made that the information is accurate, reliable, complete, or representative and Buyer may rely thereon only at the Buyer's risk. We make no guarantee that the health and safety precautions we have suggested will be adequate for all individuals and / or situations involving its handling and uses. No warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. Vendor assumes no responsibility for injury to vendee or third person proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet.