

Section 1: Identification of the Substance/Mixture and of the Company/Undertaking

1.1 Product identifier

Product Name • **Chroma/Screen Wash 927**

Product Description • Clear liquid.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified use(s) • Liquid cleaning product

1.3 Details of the supplier of the safety data sheet

Manufacturer • IKONICS Corporation
4832 Grand Ave.
Duluth, MN 55807
United States
www.ikonics.com
sds@ikonics.com

Telephone (General) • (218) 628-2217
• (800) 328-4261 - Toll free

1.4 Emergency telephone number

Chemtrec • 1-800-424-9300 - Within USA and Canada
• +1 703-527-3887 - Outside USA and Canada (collect calls accepted)

Section 2: Hazards Identification

UN GHS

According to: UN Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

2.1 Classification of the substance or mixture

UN GHS • Flammable Liquids 4
Skin Irritation 2
Eye Irritation 2A

2.2 Label elements

UN GHS

WARNING



Hazard statements • Combustible liquid
Causes skin irritation
Causes serious eye irritation

Precautionary statements

Prevention • Keep away from heat, sparks, open flames and/or hot surfaces. - No smoking.
Wash thoroughly after handling.
Wear protective gloves/protective clothing/eye protection/face protection.

Response • IF ON SKIN: Wash with plenty of soap and water.

If skin irritation occurs: Get medical advice/attention.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice/attention.
Specific treatment, see supplemental first aid information.
Take off contaminated clothing and wash before reuse.
In case of fire: Use appropriate media for extinction.

- Storage/Disposal** • Store in a well-ventilated place. Keep cool.
Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

2.3 Other hazards

UN GHS • No data available

United States (US)

According to: OSHA 29 CFR 1910.1200 HCS

2.1 Classification of the substance or mixture

OSHA HCS 2012 • Flammable Liquids 4
Skin Irritation 2
Eye Irritation 2A

2.2 Label elements

OSHA HCS 2012

WARNING



Hazard statements • Combustible liquid
Causes skin irritation
Causes serious eye irritation

Precautionary statements

Prevention • Keep away from heat, sparks, open flames and/or hot surfaces. - No smoking.
Wash thoroughly after handling.
Wear protective gloves/protective clothing/eye protection/face protection.

Response • IF ON SKIN: Wash with plenty of soap and water.
If skin irritation occurs: Get medical advice/attention.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice/attention.
Specific treatment, see supplemental first aid information.
Take off contaminated clothing and wash before reuse.
In case of fire: Use appropriate media for extinction.

Storage/Disposal • Store in a well-ventilated place. Keep cool.
Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

2.3 Other hazards

OSHA HCS 2012 • No data available

Canada

According to: WHMIS

2.1 Classification of the substance or mixture

WHMIS • Combustible Liquids - B3

Other Toxic Effects - D2B

2.2 Label elements

WHMIS




- Combustible Liquids - B3
- Other Toxic Effects - D2B

2.3 Other hazards

WHMIS

- No data available

2.4 Other information



Section 3 - Composition/Information on Ingredients

3.1 Substances

3.2 Mixtures

Composition					
Chemical Name	Identifiers	%	LD50/LC50	Classifications According to Regulation/Directive	Comments
1(or 2)-(2-methoxymethylethoxy), propanol acetate	CAS:88917-22-0	25% TO 30%		WHMIS: UN GHS: Skin Irrit. 2; Eye Irrit. 2A; Flam. Liq. 4 OSHA HCS 2012:	NDA
Nonylphenol polyethylene glycol ether	CAS:127087-87-0	10% TO 15%		WHMIS: UN GHS: Eye Dam. 1 OSHA HCS 2012:	NDA
Succinic acid, dimethyl ester	CAS:106-65-0 EINECS:203-419-9	5% TO 10%	Ingestion/Oral-Rat LD50 • >5 g/kg Skin-Rabbit LD50 • >5 g/kg Ingestion/Oral-Mouse LD50 • 5500 mg/kg	WHMIS: UN GHS: Eye Irrit. 2A; Flam. Liq. 4 OSHA HCS 2012:	NDA
1-Methoxy-2-propanol acetate	CAS:108-65-6 EC Number:203-603-9 EU Index:607-195-00-7 EINECS:203-603-9	5% TO 10%	Ingestion/Oral-Rat LD50 • 8532 mg/kg Skin-Rabbit LD50 • >5 g/kg	WHMIS: Other Toxic Effects - D2B; Comb. Liq. - B3 UN GHS: Eye Irrit. 2A; Flam. Liq. 3 OSHA HCS 2012:	NDA
Alkyl(C9-11) alcohol, ethoxylated	CAS:68439-46-3	1% TO 2%	Ingestion/Oral-Rat LD50 • 1378 mg/kg Skin-Rabbit LD50 • >2 g/kg	WHMIS: UN GHS: Eye Dam. 1 OSHA HCS 2012:	NDA

See Section 11 for Toxicological Information.

Section 4 - First Aid Measures

4.1 Description of first aid measures

- Inhalation**
 - IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, give artificial respiration and call 911 or emergency medical service.
- Skin**
 - IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention.
- Eye**
 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
- Ingestion**
 - If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Rinse mouth. Never give anything by mouth to an unconscious person. If large quantities are swallowed, call a physician immediately.

4.2 Most important symptoms and effects, both acute and delayed

- Refer to Section 11 - Toxicological Information.

4.3 Indication of any immediate medical attention and special treatment needed

Section 5 - Firefighting Measures

5.1 Extinguishing media

Suitable Extinguishing Media

- SMALL FIRES: Dry chemical, CO₂, water spray or alcohol-resistant foam.
- LARGE FIRES: Water spray, fog or alcohol-resistant foam.

Unsuitable Extinguishing Media

- No data available

Firefighting Procedures

- Fire fighters should wear complete protective clothing including self-contained breathing apparatus.
- Keep unauthorized personnel away.
- Ventilate closed spaces before entering.

5.2 Special hazards arising from the substance or mixture

Unusual Fire and Explosion Hazards

- Combustible liquid.

Hazardous Combustion Products

- Products of combustion include: carbon oxides (CO_x).

5.3 Advice for firefighters

- Structural firefighters' protective clothing provides limited protection in fire situations ONLY; it is not effective in spill situations where direct contact with the substance is possible.
- Wear chemical protective clothing that is specifically recommended by the manufacturer. It may provide little or no thermal protection.
- Wear positive pressure self-contained breathing apparatus (SCBA).

Section 6 - Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal Precautions

- Ventilate enclosed areas. Contact may irritate or burn skin and eyes. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

Emergency Procedures

- Personal protective equipment is required for clean-up personnel. Ventilate closed spaces before entering. Keep unauthorized personnel away.

6.2 Environmental precautions

- LARGE SPILLS: Prevent entry into waterways, sewers, basements or confined areas.

6.3 Methods and material for containment and cleaning up

Containment/Clean-up Measures

- Use appropriate Personal Protective Equipment (PPE)
- Stop leak if you can do it without risk.
- Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in suitable container.

6.4 Reference to other sections

- Refer to Section 8 - Exposure Controls/Personal Protection and Section 13 - Disposal Considerations.

Section 7 - Handling and Storage

7.1 Precautions for safe handling

Handling

- Use good safety and industrial hygiene practices.

7.2 Conditions for safe storage, including any incompatibilities

Storage

- Do not store near heat, sparks or open flames. Keep container closed when not in use.

7.3 Specific end use(s)

- Refer to Section 1.2 - Relevant identified uses.

Section 8 - Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits/Guidelines			
	Result	Canada British Columbia	Canada Ontario
1-Methoxy-2-propanol acetate (108-65-6)	STELs	75 ppm STEL	Not established
	TWAs	50 ppm TWA	50 ppm TWA; 270 mg/m ³ TWA
1(or 2)-(2-methoxymethylethoxy), propanol acetate (88917-22-0)	STELs	Not established	150 ppm STEL; 1164 mg/m ³ STEL
	TWAs	Not established	100 ppm TWA; 776 mg/m ³ TWA

8.2 Exposure controls

Engineering Measures/Controls

- Local exhaust is recommended but not required. Provide adequate ventilation as necessary.

Personal Protective Equipment

Pictograms



Respiratory

- In case of insufficient ventilation, wear suitable respiratory equipment.

Eye/Face

- Wear protective eyewear (goggles, face shield, or safety glasses).

Hands

- Wear protective gloves - rubber or neoprene.

Skin/Body

- Wear protective clothing - apron or other impervious body coverings.

General Industrial Hygiene Considerations

- Handle in accordance with good industrial hygiene and safety practice.

Environmental Exposure Controls

- No data available

Section 9 - Physical and Chemical Properties

9.1 Information on Physical and Chemical Properties

Material Description			
Physical Form	Liquid	Appearance/Description	Clear liquid.
Color	Pale yellow.	Odor	Faint, petroleum-like odor.
Odor Threshold	No data available		
General Properties			
Boiling Point	390 F(198.8889 C)	Melting Point	No data available
Decomposition Temperature	No data available	pH	Not relevant

Specific Gravity/Relative Density	> 1	Density	8.45 lbs/gal
Water Solubility	Appreciable	Viscosity	No data available
Explosive Properties	Not relevant	Oxidizing Properties:	Not relevant
Volatility			
Vapor Pressure	No data available	Vapor Density	No data available
Evaporation Rate	No data available	VOC (Wt.)	88 %
Flammability			
Flash Point	171 F(77.2222 C)	UEL	No data available
LEL	No data available	Autoignition	No data available
Flammability (solid, gas)	Classification criteria not met.		
Environmental			
Half-Life	No data available	Octanol/Water Partition coefficient	No data available
Bioaccumulation Factor	No data available	Bioconcentration Factor	No data available
Biochemical Oxygen Demand BOD/BOD5	No data available	Chemical Oxygen Demand	No data available
Persistence	No data available	Degradation	No data available

9.2 Other Information

- No additional physical and chemical parameters noted.

Section 10: Stability and Reactivity

10.1 Reactivity

- No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

- Stable under normal temperatures and pressures.

10.3 Possibility of hazardous reactions

- Hazardous polymerization will not occur.

10.4 Conditions to avoid

- Heat, sparks or open flame.

10.5 Incompatible materials

- Strong oxidizing or reducing agents.

10.6 Hazardous decomposition products

- No decomposition is expected under normal storage and use conditions. Hazardous decomposition products formed under fire conditions - carbon oxides (COx).

Section 11 - Toxicological Information

11.1 Information on toxicological effects

Components		
Succinic acid, dimethyl ester (5% TO 10%)	106-65-0	Acute Toxicity: Ingestion/Oral-Rat LD50 • >5 g/kg; Skin-Rabbit LD50 • >5 g/kg
1-Methoxy-2-propanol acetate (5% TO 10%)	108-65-6	Acute Toxicity: Ingestion/Oral-Rat LD50 • 8532 mg/kg; Skin-Rabbit LD50 • >5 g/kg
Alkyl(C9-11) alcohol, ethoxylated (1% TO 2%)	68439-46-3	Acute Toxicity: Ingestion/Oral-Rat LD50 • 1378 mg/kg; Behavioral:Somnolence (general depressed activity); Behavioral:Ataxia; Gastrointestinal:Hypermotility, diarrhea; Skin-Rabbit LD50 • >2 g/kg; Behavioral:Somnolence (general depressed activity); Behavioral:Ataxia; Gastrointestinal:Hypermotility, diarrhea

GHS Properties	Classification
Acute toxicity	OSHA HCS 2012• UN GHS•
Aspiration Hazard	OSHA HCS 2012• UN GHS•
Carcinogenicity	OSHA HCS 2012• UN GHS•
Germ Cell Mutagenicity	OSHA HCS 2012• UN GHS•
Skin corrosion/Irritation	OSHA HCS 2012•Skin Irritation 2 UN GHS•Skin Irritation 2
Skin sensitization	OSHA HCS 2012• UN GHS•
STOT-RE	OSHA HCS 2012• UN GHS•
STOT-SE	OSHA HCS 2012• UN GHS•
Toxicity for Reproduction	OSHA HCS 2012• UN GHS•
Respiratory sensitization	OSHA HCS 2012• UN GHS•
Serious eye damage/Irritation	OSHA HCS 2012•Eye Irritation 2A UN GHS•Eye Irritation 2A

Potential Health Effects

Inhalation

Acute (Immediate) • May cause irritation.

Chronic (Delayed) • Repeated and prolonged exposure to high concentrations of vapors or mists may cause irritation to nose and throat, loss of coordination, fatigue, drowsiness, and/or dizziness.

Skin

Acute (Immediate) • Causes skin irritation.

Chronic (Delayed) • Repeated and prolonged exposure may cause burning, cracking or drying of the skin.

Eye

Acute (Immediate) • Causes serious eye irritation.

Chronic (Delayed) • Repeated and prolonged exposure may cause irreversible damage to eyes.

Ingestion

Acute (Immediate) • May cause irritation.

Chronic (Delayed) • No specific information available.

Reproductive Effects • Repeated and prolonged exposure may cause reproductive effects.

Section 12 - Ecological Information

12.1 Toxicity

- No data available

12.2 Persistence and degradability

- No data available

12.3 Bioaccumulative potential

- No data available

12.4 Mobility in Soil

- No data available

12.5 Results of PBT and vPvB assessment

- No data available

12.6 Other adverse effects

Section 13 - Disposal Considerations

13.1 Waste treatment methods

Product waste

- Dispose of content in accordance with local, regional, national, and/or international regulations.

Packaging waste

- Dispose of container in accordance with local, regional, national, and/or international regulations.

13.2 Other Information

- Dispose of wastes in an approved waste disposal facility.

Section 14 - Transport Information

	14.1 UN number	14.2 UN proper shipping name	14.3 Transport hazard class(es)	14.4 Packing group	14.5 Environmental hazards
DOT	NDA	NDA	NDA	NDA	NDA
IATA/ICAO	NDA	NDA	NDA	NDA	NDA

14.6 Special precautions for user

- None specified.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

- Not relevant.

Section 15 - Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

SARA Hazard Classifications • Acute

Inventory			
Component	CAS	Canada DSL	TSCA
1(or 2)-(2-methoxymethylethoxy), propanol acetate	88917-22-0	Yes	Yes
1-Methoxy-2-propanol acetate	108-65-6	Yes	Yes
Alkyl(C9-11) alcohol, ethoxylated	68439-46-3	Yes	Yes
Nonylphenol polyethylene glycol ether	127087-87-0	Yes	Yes
Succinic acid, dimethyl ester	106-65-0	Yes	Yes

Canada

Labor

Canada - WHMIS - Classifications of Substances

- | | | |
|------------------------------------|------------|------------|
| •Succinic acid, dimethyl ester | 106-65-0 | Not Listed |
| •Alkyl(C9-11) alcohol, ethoxylated | 68439-46-3 | Not Listed |
| •1-Methoxy-2-propanol acetate | 108-65-6 | B3 |

•1(or 2)-(2-methoxymethylethoxy), propanol acetate
•Nonylphenol polyethylene glycol ether

88917-22-0 Not Listed
127087-87-0 Not Listed

15.2 Chemical Safety Assessment

- No Chemical Safety Assessment has been carried out.

Section 16 - Other Information

Relevant Phrases (code & full text)

- H227 - Combustible liquid
- H315 - Causes skin irritation
- H319 - Causes serious eye irritation
- P210 - Keep away from heat, sparks, open flames and/or hot surfaces. - No smoking.
- P264 - Wash thoroughly after handling.
- P280 - Wear protective gloves/protective clothing/eye protection/face protection.
- P302+P352 - IF ON SKIN: Wash with plenty of soap and water.
- P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P321 - Specific treatment, see supplemental first aid information.
- P332+P313 - If skin irritation occurs: Get medical advice/attention.
- P337+P313 - If eye irritation persists: Get medical advice/attention.
- P362 - Take off contaminated clothing and wash before reuse.
- P370+P378 - In case of fire: Use appropriate media for extinction.
- P403+P235 - Store in a well-ventilated place. Keep cool.
- P501 - Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Classification method for mixtures

- Calculation method.

Last Revision Date

- 02 April 2015

Preparation Date

- 01 June 2015

Other Information

- Approved by: Troy Bergstedt, Director of Chemical Research, (218) 628-2217 ext.142.

Disclaimer/Statement of Liability

- The information contained herein is based on data available to us and is believed to be correct. Since this information may have been obtained in part from independent laboratories or other sources not under direct supervision, no representation is made that the information is accurate, reliable, complete, or representative and Buyer may rely thereon only at the Buyer's risk. We make no guarantee that the health and safety precautions we have suggested will be adequate for all individuals and / or situations involving its handling and uses. No warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. Vendor assumes no responsibility for injury to vendee or third person proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet.