Safety Data Sheet



Section 1: Identification of the Substance/Mixture and of the Company/Undertaking

1.1 Product identifier

Product Name • Razor 8x
Product Description • Blue liquid

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified use(s) • Water-based emulsion

1.3 Details of the supplier of the safety data sheet

Manufacturer • IKONICS Corporation

4832 Grand Ave. Duluth, MN 55807 United States www.ikonics.com sds@ikonics.com

Telephone (General) • (218) 628-2217

Telephone (General) • (800) 328-4261 - Toll free

1.4 Emergency telephone number

Chemtrec • 1-800-424-9300 - Within USA and Canada

• +1 703-527-3887 - Outside USA and Canada (collect calls accepted)

Section 2: Hazards Identification

EU/EEC

According to EU Directive 1272/2008 (CLP)/REACH 1907/2006 [amended by 2015/830]

2.1 Classification of the substance or mixture

CLP • Skin Irritation 2 - H315

Skin Sensitization 1 - H317 Eye Irritation 2 - H319

Hazardous to the aquatic environment Chronic 3 - H412

2.2 Label Elements

CLP

WARNING



Hazard statements • H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H319 - Causes serious eye irritation H412 - Harmful to aquatic life with long lasting effects

Precautionary statements

Prevention • P261 - Avoid breathing dust, fume, gas, mist, vapors and/or spray.

P264 - Wash thoroughly after handling.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

Response • P302+P352 - IF ON SKIN: Wash with plenty of soap and water.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P362 - Take off contaminated clothing and wash before reuse.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention. P321 - Specific treatment, see supplemental first aid information.

Storage/Disposal • P501 - Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

2.3 Other Hazards

CLPNo data available

UN GHS

According to: UN Globally Harmonized System of Classification and Labelling of Chemicals (GHS): Sixth Revised Edition

2.1 Classification of the substance or mixture

UN GHS

Skin Irritation 2 - H315
 Skin Sensitization 1 - H317
 Eye Irritation 2 - H319

Hazardous to the aquatic environment Chronic 3 - H412

2.2 Label elements

UN GHS

WARNING



Hazard statements • H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H319 - Causes serious eye irritation

H412 - Harmful to aquatic life with long lasting effects

Precautionary statements

Prevention • P261 - Avoid breathing dust, fume, gas, mist, vapors and/or spray.

P264 - Wash thoroughly after handling.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

Response • P302+P352 - IF ON SKIN: Wash with plenty of soap and water.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P362 - Take off contaminated clothing and wash before reuse.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention. P321 - Specific treatment, see supplemental first aid information.

Storage/Disposal • P501 - Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

2.3 Other hazards

UN GHS • No data available

United States (US)

According to OSHA 29 CFR 1910.1200 HCS

2.1 Classification of the substance or mixture

OSHA HCS 2012

Skin Irritation 2 - H315
 Skin Sensitization 1 - H317
 Eye Irritation 2 - H319

2.2 Label elements OSHA HCS 2012

WARNING



Hazard statements • Causes skin irritation - H315

May cause an allergic skin reaction - H317 Causes serious eye irritation - H319

Precautionary statements

Prevention • Avoid breathing dust, fume, gas, mist, vapors and/or spray. - P261

Wash thoroughly after handling. - P264

Contaminated work clothing should not be allowed out of the workplace. - P272

Avoid release to the environment. - P273

Wear protective gloves/protective clothing/eye protection/face protection. - P280

Response • IF ON SKIN: Wash with plenty of soap and water. - P302+P352

If skin irritation or rash occurs: Get medical advice/attention. - P333+P313

Take off contaminated clothing and wash before reuse. - P362

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. - P305+P351+P338 If eye irritation persists: Get medical advice/attention. - P337+P313 Specific treatment, see supplemental first aid information. - P321

Storage/Disposal • Dispose of content and/or container in accordance with local, regional, national, and/or international regulations. - P501

2.3 Other hazards

OSHA HCS 2012
• No data available

Canada

According to WHMIS 2015

2.1 Classification of the substance or mixture

WHMIS 2015

Skin Irritation 2 - H315
 Skin Sensitization 1 - H317
 Eye Irritation 2 - H319

2.2 Label elements

WHMIS 2015

WARNING



Hazard statements • Causes skin irritation - H315

May cause an allergic skin reaction - H317 Causes serious eye irritation - H319

Precautionary statements

Prevention • Avoid breathing dust, fume, gas, mist, vapors and/or spray. - P261 Wash thoroughly after handling. - P264

Contaminated work clothing should not be allowed out of the workplace. - P272 Avoid release to the environment. - P273

Wear protective gloves/protective clothing/eye protection/face protection. - P280

Response • IF ON SKIN: Wash with plenty of soap and water. - P302+P352

If skin irritation or rash occurs: Get medical advice/attention. - P333+P313

Take off contaminated clothing and wash before reuse. - P362

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. - P305+P351+P338 If eye irritation persists: Get medical advice/attention. - P337+P313 Specific treatment, see supplemental first aid information. - P321

Storage/Disposal • Dispose of content and/or container in accordance with local, regional, national, and/or international regulations. - P501

2.3 Other hazards

WHMIS 2015

• No data available

2.4 Other information



See Section 12 for Ecological Information.

Section 3 - Composition/Information on Ingredients

3.1 Substances

3.2 Mixtures

Hazardous Components								
Chemical Name	Identifiers	%(weight)	LD50/LC50	Classifications According to Regulation/Directive	Comments			
Aromatic acrylate	CAS:	9% TO 10%		WHMIS 2015: UN GHS: Skin Irrit. 2; Eye Irrit. 2; Skin Sens. 1 EU CLP: OSHA HCS 2012:				
Pentaerythritol Tetraacrylate	CAS:4986-89- 4 EC Number:225- 644-1 EINECS:225- 644-1	5% TO 6%		WHMIS 2015: UN GHS: Eye Irrit. 2A; Skin Irrit. 2; Skin Sens. 1 EU CLP: OSHA HCS 2012:				
2-Propenoic acid, 2- (hydroxymethyl)-2-(((1-oxo-2- propenyl)oxy)methyl)-1,3- propanediyl ester	droxymethyl)-2-(((1-oxo-2-penyl)oxy)methyl)-1,3-		Ingestion/Oral-Rat LD50 • 1830 mg/kg Skin-Rabbit LD50 • 4 mL/kg	WHMIS 2015: UN GHS: Skin Irrit. 2; Skin Sens. 1 EU CLP: OSHA HCS 2012:				

Benzophenone	CAS:119-61-9 EINECS:204- 337-6	< 1%	Ingestion/Oral-Rat LD50 • >10 g/kg Skin-Rabbit LD50 • 3535 mg/kg	WHMIS 2015: UN GHS: Aquatic Acute 1; Aquatic Chronic 1; Eye Irrit. 2A; Skin Irrit. 3 EU CLP: Aquatic Acute 1; Aquatic Chronic 1; Eye Irrit. 2; Skin Irrit. 2 OSHA HCS 2012:	
1-Butanone, 2-(dimethylamino)-1- (4-(4-morpholinyl)phenyl)-2- (phenylmethyl)	CAS:119313- 12-1 EC Number:404- 360-3	< 0.4%	Ingestion/Oral-Rat LD50 • >2000 mg/kg Skin-Rat LD50 • >=2000 mg/kg	WHMIS 2015: UN GHS: Aquatic Acute 1; Aquatic Chronic 1 EU CLP: Aquatic Acute 1; Aquatic Chronic 1 OSHA HCS 2012:	

See Section 11 for Toxicological Information.

Section 4 - First Aid Measures

4.1 Description of first aid measures

Inhalation

• IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, give artificial respiration and call 911 or emergency

Skin

• IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse.

Eye

• IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Ingestion

 If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Rinse mouth. Never give anything by mouth to an unconscious person. If large quantities are swallowed, call a physician immediately.

4.2 Most important symptoms and effects, both acute and delayed

• Refer to Section 11 - Toxicological Information.

4.3 Indication of any immediate medical attention and special treatment needed

Section 5 - Firefighting Measures

5.1 Extinguishing media

Suitable Extinguishing • SMALL FIRES: Dry chemical, CO2, water spray or regular foam.

LARGE FIRE: Water spray, fog or regular foam.

Unsuitable

Media

No data available

Extinguishing Media

Firefighting Procedures • LARGE FIRES: Use extinguishing agent suitable for type of surrounding fire.

Fire fighters should wear complete protective clothing including self-contained breathing

apparatus.

Keep unauthorized personnel away. Ventilate closed spaces before entering.

5.2 Special hazards arising from the substance or mixture

Unusual Fire and Explosion Hazards • Some of these materials may burn, but none ignite readily.

Hazardous Combustion • Products of combustion include: carbon oxides (COx).

Products

5.3 Advice for firefighters

• Structural firefighters' protective clothing provides limited protection in fire situations ONLY; it is not effective in spill situations where direct contact with the substance is possible.

Wear chemical protective clothing that is specifically recommended by the manufacturer.

It may provide little or no thermal protection.

Wear positive pressure self-contained breathing apparatus (SCBA).

Section 6 - Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal Precautions

• Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate enclosed areas.

Emergency Procedures

 No emergency procedures are expected to be necessary if material is used under ordinary conditions as recommended. Use normal clean up procedures.

6.2 Environmental precautions

LARGE SPILLS: Prevent entry into waterways, sewers, basements or confined areas.

6.3 Methods and material for containment and cleaning up

Containment/Clean-up Measures

• Use appropriate Personal Protective Equipment (PPE) Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in suitable container.

6.4 Reference to other sections

• Refer to Section 8 - Exposure Controls/Personal Protection and Section 13 - Disposal Considerations.

Section 7 - Handling and Storage

7.1 Precautions for safe handling

Handling

• Use good safety and industrial hygiene practices.

7.2 Conditions for safe storage, including any incompatibilities

Storage

• Keep container closed when not in use. Store away from extreme heat. Do not freeze.

7.3 Specific end use(s)

• Refer to Section 1.2 - Relevant identified uses.

Section 8 - Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Control Notations

Germany DFG

•2-Propenoic acid, 2-(hydroxymethyl)-2-(((1-oxo-2-propenyl)oxy)methyl)-1,3-propanediyl ester (3524-68-3): Sensitizers: (skin sensitizer)

8.2 Exposure controls

Engineering Measures/Controls

 Local exhaust is recommended but not required. Provide adequate ventilation as necessary.

Personal Protective Equipment

Pictograms

Respiratory

Eye/Face Hands

Skin/Body

General Industrial Hygiene Considerations



- In case of insufficient ventilation, wear suitable respiratory equipment.
- Wear protective eyewear (goggles, face shield, or safety glasses).
- Wear protective gloves rubber or neoprene.
- Wear protective clothing apron or other impervious body coverings.
- Handle in accordance with good industrial hygiene and safety practice.

Section 9 - Physical and Chemical Properties

9.1 Information on Physical and Chemical Properties

Material Description				
Physical Form	Liquid	Appearance/Description	Viscous liquid.	
Color	Blue	Odor	Mild	
Taste	Not relevant	Odor Threshold	No data available	
Physical and Chemical Properties	Not relevant			
General Properties				
Boiling Point	100 C(212 F)	Melting Point	No data available	
Decomposition Temperature	Not relevant	рН	No data available	
Density	8.71 lbs/gal	Water Solubility	Miscible	
Solvent Solubility	No data available	Viscosity	8500 Centipoise (cPs, cP) or mPas @ 25 C (77 F)	
Explosive Properties	Not relevant	Oxidizing Properties:	Not relevant	
Volatility				
Vapor Pressure	Not relevant	Vapor Density	Not relevant	
Evaporation Rate	No data available	VOC (Wt.)	Not relevant	
Volatiles (Wt.)	61 to 71 %			
Flammability				
Flash Point	> 200 F(> 93.3333 C)	UEL	Not relevant	
LEL	Not relevant	Autoignition	Not relevant	
Flammability (solid, gas)	Not relevant			
Environmental	•	•		
Half-Life	No data available	Octanol/Water Partition coefficient	No data available	
Coefficient of water/oil distribution	No data available	Bioaccumulation Factor	No data available	
Bioconcentration Factor	Factor No data available Biochemical O. BOD/BOD5		No data available	
Chemical Oxygen Demand	No data available	Persistence	No data available	
Degradation	No data available			

9.2 Other Information

• Polymerizes to solid/semisolid form upon exposure to UV radiation.

Section 10: Stability and Reactivity

10.1 Reactivity

• No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

• UV reactive.

10.3 Possibility of hazardous reactions

• Hazardous polymerization will not occur.

10.4 Conditions to avoid

· Avoid freezing. Excess heat.

10.5 Incompatible materials

• No data available

10.6 Hazardous decomposition products

• No decomposition is expected under normal storage and use conditions. Hazardous decomposition products formed under fire conditions - carbon oxides (COx).

Section 11 - Toxicological Information

11.1 Information on toxicological effects

Component Name	CAS	Data						
2-Propenoic acid, 2-(hydroxymethyl)-2- (((1-oxo-2-propenyl)oxy)methyl)-1,3- propanediyl ester (1% TO 2%)	3524-68-3	Acute Toxicity: orl-rat LD50:1830 mg/kg; skn-rbt LD50:4 mL/kg; Irritation: eye-rbt 1 mg SEV; skn-rbt 500 mg open MLD						
Benzophenone (< 1%)	119-61-9	Acute Toxicity: orl-rat LD50:>10 gm/kg; Skin-Rabbit LD50 • 3535 mg/kg; Reproductive: orl-rat TDLo:4200 mg/kg (6-19D preg)						
1-Butanone, 2-(dimethylamino)-1-(4- (4-morpholinyl)phenyl)-2- (phenylmethyl) (< 0.4%)	119313-12-1	Acute Toxicity: Ingestion/Oral-Rat LD50 • >2000 mg/kg; Skin-Rat L>=2000 mg/kg						
GHS Properties	Classification							
Acute toxicity	EU/CLP• OSHA HCS 2012• UN GHS•							
Aspiration Hazard	EU/CLP• OSHA HCS 2012• UN GHS•							
Carcinogenicity	EU/CLP• OSHA HCS 2012• UN GHS•	SHA HCS 2012•						
Germ Cell Mutagenicity	EU/CLP• OSHA HCS 2012• UN GHS•							
Skin corrosion/Irritation	EU/CLP•Skin Irritation 2 OSHA HCS 2012•Skin Irritation 2 UN GHS•Skin Irritation 2							
Skin sensitization	EU/CLP•Skin Sens OSHA HCS 2012•3 UN GHS•Skin Sens	Skin Sensitizer 1						
STOT-RE	EU/CLP• OSHA HCS 2012• UN GHS•							
STOT-SE	EU/CLP• OSHA HCS 2012• UN GHS•							
Toxicity for Reproduction	EU/CLP• OSHA HCS 2012• UN GHS•							
Respiratory sensitization	EU/CLP• OSHA HCS 2012• UN GHS•							
Serious eye damage/Irritation	EU/CLP•Eye Irritat OSHA HCS 2012•I UN GHS•Eye Irrita	Eye Irritation 2						

Route(s) of entry/exposure

Potential Health Effects

Inhalation

Acute (Immediate) • May cause irritation.

Chronic (Delayed)

• Repeated and prolonged exposure may cause irritation.

Skin

Acute (Immediate) • Causes skin irritation. May cause an allergic skin reaction.

• Skin, Eye

Razor 8x Safety Data Sheet Page **8** of **13**

Chronic (Delayed)

• Repeated and prolonged exposure may cause sensitization.

Eye

Acute (Immediate)

• Causes serious eye irritation.

Chronic (Delayed)

• Repeated and prolonged exposure may be harmful.

Ingestion

Acute (Immediate)
• May cause irritation.

Chronic (Delayed) • No specific information available.

Section 12 - Ecological Information

12.1 Toxicity

Component	CAS	Data	Comments
Benzophenone (< 1%)	119-61-9	Crustacea: 24 Hour(s) EC50 Crustacea .28 mg/L ; Fish: 96 Hour(s) LC50 Fish 14.2 mg/L	
1-Butanone, 2-(dimethylamino)-1-(4-(4-morpholinyl)phenyl)-2-(phenylmethyl) (< 0.4%)	119313-12-1	Crustacea: 24 Hour(s) EC50 Water Flea .8 mg/L ; Fish: 96 Hour(s) LC50 Fish .46 mg/L	

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in Soil

No data available

12.5 Results of PBT and vPvB assessment

No data available

12.6 Other adverse effects

Section 13 - Disposal Considerations

13.1 Waste treatment methods

• Dispose of content in accordance with local, regional, national, and/or international regulations.

• Dispose of container in accordance with local, regional, national, and/or international regulations.

13.2 Other Information

• Dispose of wastes in an approved waste disposal facility.

Section 14 - Transport Information

	14.1 UN number	14.2 UN proper shipping name	14.3 Transport hazard class(es)	14.4 Packing group	14.5 Environmental hazards	
DOT	NDA	NDA	NDA	NDA	NDA	

IMO/IMDG	NDA	NDA	NDA	NDA	NDA		
IATA/ICAO	NDA	NDA	NDA	NDA	NDA		

14.6 Special precautions for user

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

14.8 Other information

· None specified.

• Not relevant.

DOT • Not regulated.

IMO/IMDG • Not regulated.

IATA/ICAO • Not regulated.

Section 15 - Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

SARA Hazard Classifications • Acute

Inventory										
Component CAS Australia AICS					nada DSL	Canada NDSL		China	EU EINECS	
Pentaerythritol Tetraacrylate	4986-89-4	Yes		Yes		No Y		s	Yes	
2-Propenoic acid, 2- (hydroxymethyl)-2- (((1-oxo-2- propenyl)oxy)methyl)- 1,3-propanediyl ester	3524-68-3	Yes		Yes		No		S	Yes	
Benzophenone	119-61-9	Yes		Yes		No	Ye	s	Yes	
1-Butanone, 2- (dimethylamino)-1-(4- (4- morpholinyl)phenyl)- 2-(phenylmethyl)	119313-12- 1	Yes	Yes			No		s	No	
Inventory (Con't.)										
Component	CAS	E	EU ELNICS	Jap	an ENCS	Korea KECL		New Zealand	Philippines PICCS	
Pentaerythritol Tetraacrylate	4986-89-4	No		Yes		Yes	Yes	3	Yes	
2-Propenoic acid, 2- (hydroxymethyl)-2- (((1-oxo-2- propenyl)oxy)methyl)- 1,3-propanediyl ester	3524-68-3	No	Yes			⁄es Ye		3	Yes	
Benzophenone	119-61-9	No		Yes		Yes	Yes	3	Yes	
1-Butanone, 2- (dimethylamino)-1-(4- (4- morpholinyl)phenyl)- 2-(phenylmethyl)	119313-12- 1	Yes		Yes		Yes Yes		3	Yes	
				Inve	entory (Con	't.)				
Compon	CAS		Swit	zerland SWISS		7	SCA			
Pentaerythritol Tetraac	rylate		4986-89-4		No			Yes		
2-Propenoic acid, 2-(hydroxymethyl)-2- (((1-oxo-2-propenyl)oxy)methyl)-1,3- propanediyl ester			3524-68-3	524-68-3 No		No				
Benzophenone			119-61-9		No			Yes		
1-Butanone, 2-(dimethylamino)-1-(4-(4-morpholinyl)phenyl)-2-(phenylmethyl)			119313-12-1		Yes			Yes		

Australia

Lab

Labor Australia - List of Designated Hazardous Substances - Classification							
•2-Propenoic acid, 2-(hydroxymethyl)-2-(((1-oxo-2-propenyl)oxy)methyl)-1 •Pentaerythritol Tetraacrylate	4986-	89-4	5% TO	6% Xi F	R36/38, R43 R36/38, R43		
Benzophenone1-Butanone, 2-(dimethylamino)-1-(4-(4-morpholinyl)phenyl)-2-(phenylmethylamino)	thyl)		119-6		< 1% < 0.4%		: Listed R50, R53
	,		11001	0 12 1	V 0.470	141	.00, 1100
Europe							
Other EU - CLP (1272/2008) - Annex VI - Table 3.2 - Classification							
•2-Propenoic acid, 2-(hydroxymethyl)-2-(((1-oxo-2-propenyl)oxy)methyl)-1	,3-propanediyl	ester	3524-0	68-3	1% TO	2% Xi;	R36/38 R43
Pentaerythritol Tetraacrylate			4986-8 119-6		5% TO < 1%		R36/38 R43 Listed
·	•Benzophenone						
 1-Butanone, 2-(dimethylamino)-1-(4-(4-morpholinyl)phenyl)-2-(phenylmet EU - CLP (1272/2008) - Annex VI - Table 3.2 - Labelling 2-Propenoic acid, 2-(hydroxymethyl)-2-(((1-oxo-2-propenyl)oxy)methyl)-1 		050			< 0.4%		R50-53
ester	7-1 -1 7	3524	4-68-3				38-43 S:(2)-39
Pentaerythritol Tetraacrylate			6-89-4				38-43 S:(2)-26-
 Benzophenone 1-Butanone, 2-(dimethylamino)-1-(4-(4-morpholinyl)phenyl)-2-(phenylmet EU - CLP (1272/2008) - Annex VI - Table 3.2 - Notes - Substances and 		1193	-61-9 313-12	< 1° -1 < 0.		Not Liste N R:50/	53 S:60-61
•2-Propenoic acid, 2-(hydroxymethyl)-2-(((1-oxo-2-propenyl)oxy)methyl)-1			3524-0	68-3	1% TO	2% D	
Pentaerythritol Tetraacrylate			4986-8		5% TO		
Benzophenone1-Butanone, 2-(dimethylamino)-1-(4-(4-morpholinyl)phenyl)-2-(phenylmet	thyl)		119-6		< 1% < 0.4%		Listed Listed
EU - CLP (1272/2008) - Annex VI - Table 3.2 - Safety Phrases	yı <i>)</i>		11331	J-1Z-1	< 0.470	INOL	Listed
•2-Propenoic acid, 2-(hydroxymethyl)-2-(((1-oxo-2-propenyl)oxy)methyl)-1	,3-propanediyl	ester			1% TO		
Pentaerythritol Tetraacrylate Benzophenone			4986-8 119-6		5% TO < 1%		2)-26-39 Listed
•1-Butanone, 2-(dimethylamino)-1-(4-(4-morpholinyl)phenyl)-2-(phenylmet	thyl)				< 0.4%		0-61
EU - Endocrine Disrupters (COM (2001)262) - Candidate List of Subst	tances						
 2-Propenoic acid, 2-(hydroxymethyl)-2-(((1-oxo-2-propenyl)oxy)methyl)-1 Pentaerythritol Tetraacrylate 	,3-propanediyl	ester	3524-6 4986-8		1% TO 5% TO		
Benzophenone			119-6		< 1%		oup III Chemical
•1-Butanone, 2-(dimethylamino)-1-(4-(4-morpholinyl)phenyl)-2-(phenylmet					< 0.4%		Listed
EU - Existing Substance Regulation (793/93/EEC) - Evaluation of Exis •2-Propenoic acid, 2-(hydroxymethyl)-2-(((1-oxo-2-propenyl)oxy)methyl)-1			er 3524-68-3 1% TO 2% Not Listed				
Pentaerythritol Tetraacrylate Benzophenone			4986-89-4 5% TO 6% Not I			Listed	
•1-Butanone, 2-(dimethylamino)-1-(4-(4-morpholinyl)phenyl)-2-(phenylmet	thyl)					Listed	
Germany							
Environment							
Germany - Water Classification (VwVwS) - Annex 3 •2-Propenoic acid, 2-(hydroxymethyl)-2-(((1-oxo-2-propenyl)oxy)methyl)-							
1,3-propanediyl ester	3524-68-3		O 2%				
Pentaerythritol Tetraacrylate	4986-89-4	5% T	O 6%			1 ha=a	rd along O
Benzophenone 1-Butanone, 2-(dimethylamino)-1-(4-(4-morpholinyl)phenyl)-2-	119-61-9	< 1%		hazard	to wate	rs	rd class 2 -
(phenylmethyl)	119313-12-1	< 0.4	٧/ ١		to water		lu class z -
Japan							
Environment							
 Japan - Pollutant Release Transfer Register (PRTR) - Class 1 Substa Propenoic acid, 2-(hydroxymethyl)-2-(((1-oxo-2-propenyl)oxy)methyl)-1 Pentaerythritol Tetraacrylate 		ester	3524- 4986-		1% TO 5% TO		
Benzophenone		119-6		< 1%		3 >=1 %	
•1-Butanone, 2-(dimethylamino)-1-(4-(4-morpholinyl)phenyl)-2-(phenylmet			11931	3-12-1	< 0.4%	Not	Listed
Inventory - Japan - Industrial Safety and Health Law Substances (ISH •2-Propenoic acid, 2-(hydroxymethyl)-2-(((1-oxo-2-propenyl)oxy)methyl)-1		octo-	3524	68-3	10/. TO	2% Not	Listed
•Pentaerythritol Tetraacrylate	,o-propariedly	COICI	4986-		5% TO		
•Benzophenone			119-6		< 1%		Listed
Danor Cu Cafatu Dat	a Chaat						Dago 11 of 12

Other

_								
Japan - Chemical Substance Control Law (CSCL) - Examined Existing Chemical Substances								
	•2-Propenoic acid, 2-(hydroxymethyl)-2-(((1-oxo-2-propenyl)oxy)methyl)-1,3-propanediyl ester	3524	-68-3	1% T	O 2%	Non-c	decomposable/Low-concentrate	
	Pentaerythritol Tetraacrylate	4986	-89-4	5% T	O 6%	Not Li	sted	
	•Benzophenone	119-6	61-9	< 1%			decomposable (see also 4-125); Non- nposable/Low-concentrate (see also 4-125)	
	•1-Butanone, 2-(dimethylamino)-1-(4-(4- morpholinyl)phenyl)-2-(phenylmethyl) Japan - Fire Service Law - Hazardous Materials	1193	13-12-1	< 0.49	%	Not Li	isted	
	•2-Propenoic acid, 2-(hydroxymethyl)-2-(((1-oxo-2-propenyl)oxy)methyl)-1,3-propanediyl ester		3524-68	3-3	1% T	O 2%	Group 4 - Flammable liquids III (listed under 3rd Class petroleums - insoluble)	
	Pentaerythritol Tetraacrylate		4986-89	9-4	5% T	O 6%	Not Listed	
	•Benzophenone		119-61-	9	< 1%		Not Listed	
	•1-Butanone, 2-(dimethylamino)-1-(4-(4-morpholinyl)phenylmethyl)	yl)-2-	119313	-12-1	< 0.49	%	Not Listed	

Korea

Labor

Korea - MOF - Harmful Substances

Korea - MOE - Harmful Substances			
•2-Propenoic acid, 2-(hydroxymethyl)-2-(((1-oxo-2-propenyl)oxy)methyl)-1,3-propanediyl ester	3524-68-3	1% TO 2%	Not Listed
Pentaerythritol Tetraacrylate	4986-89-4	5% TO 6%	Not Listed
•Benzophenone	119-61-9	< 1%	Not Listed
•1-Butanone, 2-(dimethylamino)-1-(4-(4-morpholinyl)phenyl)-2-(phenylmethyl)	119313-12-1	< 0.4%	92-23
Korea - ISHA - Name, Toxicity and Protective Measures of New Chemical Substances			
•2-Propenoic acid, 2-(hydroxymethyl)-2-(((1-oxo-2-propenyl)oxy)methyl)-1,3-propanediyl ester	3524-68-3	1% TO 2%	Not Listed
Pentaerythritol Tetraacrylate	4986-89-4	5% TO 6%	Not Listed
•Benzophenone	119-61-9	< 1%	Not Listed
•1-Butanone, 2-(dimethylamino)-1-(4-(4-morpholinyl)phenyl)-2-(phenylmethyl)	119313-12-1	< 0.4%	94-20

15.2 Chemical Safety Assessment

• No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

15.3 Other Information

• California Proposition 65: This product contains or may contain a substance(s) known to the State of California to cause cancer and/or reproductive toxicity:

Benzophenone CAS #119-61-9 <1% Formaldehyde CAS #50-00-0 <0.09% 1,4-Dioxane CAS #123-91-1 <0.00008%

Section 16 - Other Information

Relevant Phrases (code & full text)

• H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H319 - Causes serious eye irritation

H412 - Harmful to aquatic life with long lasting effects

P261 - Avoid breathing dust, fume, gas, mist, vapors and/or spray.

P264 - Wash thoroughly after handling.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 - IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P321 - Specific treatment, see supplemental first aid information.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 - If eye irritation persists: Get medical advice/attention.

P362 - Take off contaminated clothing and wash before reuse.

P501 - Dispose of content and/or container in accordance with local, regional, national,

and/or international regulations.

Classification method

for mixtures

Calculation method.

Last Revision Date Preparation Date

• 12 March 2014 • 21 June 2017

Other Information

Approved by: Troy Bergstedt, Director of Chemical Research, (218) 628-2217 ext.142.

Liability

Disclaimer/Statement of • The information contained herein is based on data available to us and is believed to be correct. Since this information may have been obtained in part from independent laboratories or other sources not under direct supervision, no representation is made that the information is accurate, reliable, complete, or representative and Buyer may rely thereon only at the Buyer's risk. We make no guarantee that the health and safety precautions we have suggested will be adequate for all individuals and / or situations involving its handling and uses. No warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. Vendor assumes no responsibility for injury to vendee or third person proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet.