Safety Data Sheet



Section 1: Identification of the Substance/Mixture and of the Company/Undertaking

1.1 Product identifier

Product Name • Alpha Micro-Cap S

Product Description • Blue film

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified use(s) • Photostencil film

1.3 Details of the supplier of the safety data sheet

Manufacturer • IKONICS Corporation

4832 Grand Ave. Duluth, MN 55807 United States www.ikonics.com sds@ikonics.com

Telephone (General) • (218) 628-2217

Telephone (General) • (800) 328-4261 - Toll free

1.4 Emergency telephone number

Chemtrec • 1-800-424-9300 - Within USA and Canada

• +1 703-527-3887 - Outside USA and Canada (collect calls accepted)

Section 2: Hazards Identification

EU/EEC

According to Regulation (EC) No 1272/2008 (CLP)/REACH 1907/2006 [amended by 453/2010] According to EU Directive 67/548/EEC (DSD) or 1999/45/EC (DPD)

2.1 Classification of the substance or mixture

CLPSkin Sensitization 1 - H317

Hazardous to the aquatic environment Chronic 3 - H412

EUH208

DSD/DPD • Sensitizer

R43, R52/53

2.2 Label Elements

CLP

WARNING



Hazard • H317 - May cause an allergic skin reaction

statements H412 - Harmful to aquatic life with long lasting effects

EUH208 - Contains sensitizing substances (Ethoxylated nonyl phenol acrylate; Pentaerythritol Tetraacrylate; 2-Propenoic acid, 2-(hydroxymethyl)-2-(((1-oxo-2-propenyl)oxy)methyl)-1,3-propanediyl ester; Acrylic acid, triester with 2-ethyl-2-(hydroxymethyl)-1,3-propanediol). May produce an allergic reaction.

Precautionary statements

Prevention • P261 - Avoid breathing dust, fume, gas, mist, vapors and/or spray.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

Response • P302+P352 - IF ON SKIN: Wash with plenty of soap and water.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P321 - Specific treatment, see supplemental first aid information.

P363 - Wash contaminated clothing before reuse.

Storage/Disposal • P501 - Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

DSD/DPD



Risk phrases • R43 - May cause sensitization by skin contact.

R52/53 - Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Safety phrases • S24 - Avoid contact with skin.

S37 - Wear suitable gloves.

S45 - In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

2.3 Other Hazards

CLPNo data availableDSD/DPDNo data available

UN GHS

According to Third Revised Edition

2.1 Classification of the substance or mixture

UN GHS

• Skin Sensitization 1 - H317

Hazardous to the aquatic environment Chronic 3 - H412

2.2 Label elements

UN GHS

WARNING



Hazard statements • H317 - May cause an allergic skin reaction

H412 - Harmful to aquatic life with long lasting effects

Precautionary statements

Prevention • P261 - Avoid breathing dust, fume, gas, mist, vapors and/or spray.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

Response • P302+P352 - IF ON SKIN: Wash with plenty of soap and water.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P321 - Specific treatment, see supplemental first aid information.

P363 - Wash contaminated clothing before reuse.

Storage/Disposal • P501 - Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

2.3 Other hazards

UN GHS • No data available

United States (US)

According to OSHA 29 CFR 1910.1200 HCS

2.1 Classification of the substance or mixture

OSHA HCS 2012

• Skin Sensitization 1 - H317

2.2 Label elements

OSHA HCS 2012

WARNING



Hazard statements • May cause an allergic skin reaction - H317

Precautionary statements

Prevention • Avoid breathing dust, fume, gas, mist, vapors and/or spray. - P261

Contaminated work clothing should not be allowed out of the workplace. - P272 Wear protective gloves/protective clothing/eye protection/face protection. - P280

Response • IF ON SKIN: Wash with plenty of soap and water. - P302+P352

If skin irritation or rash occurs: Get medical advice/attention. - P333+P313

Specific treatment, see supplemental first aid information. - P321

Wash contaminated clothing before reuse. - P363

Storage/Disposal • Dispose of content and/or container in accordance with local, regional, national, and/or

international regulations. - P501

2.3 Other hazards

OSHA HCS 2012 • No data available

Canada

According to WHMIS

2.1 Classification of the substance or mixture

WHMIS

Other Toxic Effects - D2B

2.2 Label elements

WHMIS



• Other Toxic Effects - D2B

2.3 Other hazards

WHMISNo data available

2.4 Other information





= See Section 16 for full text of R and S phrases.

See Section 12 for Ecological Information.

Section 3 - Composition/Information on Ingredients

3.1 Substances

3.2 Mixtures

| Composition | | | | | |
|---|--|--------------------|---|---|----------|
| Chemical Name | Identifiers | % | LD50/LC50 | Classifications According to Regulation/Directive | Comments |
| Ethoxylated nonyl phenol acrylate | CAS:678991- 31-6 | 1% TO 5% | | WHMIS: UN GHS: Skin Irrit. 2; Skin Sens. 1 EU DSD/DPD: EU CLP: OSHA HCS 2012: | NDA |
| Pentaerythritol Tetraacrylate | CAS:4986-89-4 EC Number:225- 644-1 EU Index:607- 122-00-9 EINECS:225- 644-1 | 1% TO 3% | | WHMIS: UN GHS: Eye Irrit. 2A; Skin Irrit. 2; Skin Sens. 1 EU DSD/DPD: Irritant(Xi); R36/38; R43 EU CLP: OSHA HCS 2012: | NDA |
| Benzophenone | CAS:119-61-9 EINECS:204- 337-6 | 0.1% TO 0.3% | Ingestion/Oral-Rat LD50 • >10 g/kg Skin-Rabbit LD50 • 3535 mg/kg | WHMIS: Other Toxic Effects - D2B UN GHS: Aquatic Acute 1; Aquatic Chronic 1; Eye Irrit. 2A; Skin Irrit. 3 EU DSD/DPD: R36/38; R50/53 EU CLP: Aquatic Acute 1; Aquatic Chronic 1; Eye Irrit. 2; Skin Irrit. 2 OSHA HCS 2012: | NDA |
| 2-Propenoic acid, 2- (hydroxymethyl)-2-(((1-oxo-2- propenyl)oxy)methyl)-1,3- propanediyl ester | CAS:3524-68-3 EC Number:222- 540-8 EU Index:607- 110-00-3 EINECS:222- 540-8 | 0.4% TO 1.5% | Ingestion/Oral-Rat LD50 • 1830 mg/kg Skin-Rabbit LD50 • 4 mL/kg | WHMIS: UN GHS: Skin Irrit. 2; Skin Sens. 1 EU DSD/DPD: Irritant(Xi); R36/38; R43 EU CLP: OSHA HCS 2012: | NDA |
| Acrylic acid, triester with 2-ethyl-2- (hydroxymethyl)-1,3-propanediol | CAS:15625-89-5 EC Number:239-701-3 EU Index:607- 111-00-9 EINECS:239- 701-3 | 0.4% TO 1.2% | Ingestion/Oral-Rat LD50 • 5190 μL/kg Skin-Rabbit LD50 • 5170 mg/kg | WHMIS: UN GHS: Eye Irrit. 2A; Skin Irrit. 2; Skin Sens. 1 EU DSD/DPD: Irritant(Xi); R36/38; R43 EU CLP: OSHA HCS 2012: | NDA |

European Chemicals Agency – Candidate List of Substances of Very High Concern for Authorization Ethoxylated nonyl phenol acrylate, CAS #678991-31-6; (4-Nonylphenol, branched and linear, ethoxylated); listed 2013/06/20; 1-5%.

Key to abbreviations

= See Section 16 for full text of R phrases

Section 4 - First Aid Measures

4.1 Description of first aid measures

Inhalation

• IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, give artificial respiration and call 911 or emergency

medical service.

Skin

• IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse.

Eye

• IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Ingestion

• If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Rinse mouth. Never give anything by mouth to an unconscious person. If large quantities are swallowed, call a physician immediately.

4.2 Most important symptoms and effects, both acute and delayed

No data available

4.3 Indication of any immediate medical attention and special treatment needed

Section 5 - Firefighting Measures

5.1 Extinguishing media

Suitable Extinguishing

• SMALL FIRES: Dry chemical, CO2, water spray or regular foam.

Media

LARGE FIRE: Water spray, fog or regular foam.

Unsuitable

No data available

Extinguishing Media

Firefighting Procedures • LARGE FIRES: Use extinguishing agent suitable for type of surrounding fire.

Keep unauthorized personnel away. Ventilate closed spaces before entering.

5.2 Special hazards arising from the substance or mixture

Unusual Fire and Explosion Hazards • Some of these materials may burn, but none ignite readily.

Products

Hazardous Combustion • Products of combustion include: carbon oxides (COx), nitrogen oxides (NOx).

5.3 Advice for firefighters

• Structural firefighters' protective clothing provides limited protection in fire situations ONLY; it is not effective in spill situations where direct contact with the substance is possible.

Wear chemical protective clothing that is specifically recommended by the manufacturer. It may provide little or no thermal protection.

Wear positive pressure self-contained breathing apparatus (SCBA).

Section 6 - Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal Precautions

• No special precautions expected to be necessary if material is used under ordinary conditions and as recommended.

Emergency Procedures

 No emergency procedures are expected to be necessary if material is used under ordinary conditions as recommended.

6.2 Environmental precautions

No data available

6.3 Methods and material for containment and cleaning up

Containment/Clean-up Measures

• Use appropriate Personal Protective Equipment (PPE) No special precautions or procedures are necessary.

6.4 Reference to other sections

• Refer to Section 8 - Exposure Controls/Personal Protection and Section 13 -Disposal Considerations.

Section 7 - Handling and Storage

7.1 Precautions for safe handling

Handling • Use good safety and industrial hygiene practices.

7.2 Conditions for safe storage, including any incompatibilities

Storage

• Store in a cool, dry place.

Special Packaging Materials • Package in opaque containers and/or use additional light-blocking materials.

7.3 Specific end use(s)

• Refer to Section 1.2 - Relevant identified uses.

Section 8 - Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Control Notations

Germany DFG

•2-Propenoic acid, 2-(hydroxymethyl)-2-(((1-oxo-2-propenyl)oxy)methyl)-1,3-propanediyl ester (3524-68-3): Sensitizers: (skin sensitizer)

Acrylic acid, triester with 2-ethyl-2-(hydroxymethyl)-1,3-propanediol (15625-89-5): Sensitizers: (skin sensitizer)

8.2 Exposure controls

Engineering Measures/Controls

• Local exhaust is recommended but not required. Provide adequate ventilation as necessary.

Personal Protective Equipment Pictograms







Respiratory

Eye/Face

Hands

Skin/Body

General Industrial Hygiene

Considerations

Environmental Exposure Controls

- In case of insufficient ventilation, wear suitable respiratory equipment.
- Wear protective eyewear (goggles, face shield, or safety glasses).
- Wear protective gloves rubber or neoprene.
- Wear protective clothing apron or other impervious body coverings.
- Handle in accordance with good industrial hygiene and safety practice.

No data available

Section 9 - Physical and Chemical Properties

9.1 Information on Physical and Chemical Properties

| Material Description | | | |
|--------------------------------------|--------------|------------------------|-------------------|
| Physical Form | Solid | Appearance/Description | Film |
| Color | Blue | Odor | Not relevant |
| Taste | Not relevant | Odor Threshold | Not relevant |
| Physical and Chemical Properties | Not relevant | | |
| General Properties | | <u> </u> | • |
| Boiling Point | Not relevant | Melting Point | No data available |
| Decomposition Temperature | Not relevant | рН | Not relevant |
| Specific Gravity/Relative Density | Not relevant | Water Solubility | Soluble |
| Viscosity | Not relevant | Explosive Properties | Not relevant |
| Oxidizing Properties: | Not relevant | | |
| Volatility | | | |
| Vapor Pressure | Not relevant | Vapor Density | Not relevant |

| Evaporation Rate | Not relevant | | | | | | | |
|------------------------------------|-------------------|-------------------------------------|-------------------|--|--|--|--|--|
| Flammability | | | | | | | | |
| Flash Point | Not relevant | UEL | Not relevant | | | | | |
| LEL | Not relevant | Autoignition | Not relevant | | | | | |
| Environmental | | | | | | | | |
| Half-Life | No data available | Octanol/Water Partition coefficient | No data available | | | | | |
| Bioaccumulation Factor | No data available | Bioconcentration Factor | No data available | | | | | |
| Biochemical Oxygen Demand BOD/BOD5 | No data available | Chemical Oxygen Demand | No data available | | | | | |
| Persistence | No data available | Degradation | No data available | | | | | |

9.2 Other Information

No data available

Section 10: Stability and Reactivity

10.1 Reactivity

• No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

Stable

10.3 Possibility of hazardous reactions

• Hazardous polymerization will not occur.

10.4 Conditions to avoid

• Excess heat. Strong light.

10.5 Incompatible materials

• No data available

10.6 Hazardous decomposition products

• Hazardous decomposition products formed under fire conditions - carbon oxides, nitrogen oxides.

Section 11 - Toxicological Information

11.1 Information on toxicological effects

| | | Components |
|--|----------------|---|
| Benzophenone (0.1% TO 0.3%) | 119-61- 9 | Acute Toxicity: Ingestion/Oral-Rat LD50 • >10 g/kg; Skin-Rabbit LD50 • 3535 mg/kg |
| 2-Propenoic acid, 2-(hydroxymethyl)-2-(((1-oxo-2-propenyl)oxy)methyl)-1,3-propanediyl ester (0.4% TO 1.5%) | 3524- 68-3 | Acute Toxicity: Ingestion/Oral-Rat LD50 • 1830 mg/kg; Gastrointestinal:Ulceration or bleeding from small intestine; Gastrointestinal:Ulceration or bleeding from large intestine; Gastrointestinal:Other changes; Skin-Rabbit LD50 • 4 mL/kg; Irritation: Eye-Rabbit • 1 mg • Severe irritation; Skin-Rabbit • 500 mg • Moderate irritation |
| Acrylic acid, triester with 2-ethyl-2- (hydroxymethyl)-1,3-propanediol (0.4% TO 1.2%) | 15625- 89-5 | Acute Toxicity: Ingestion/Oral-Rat LD50 • 5190 μL/kg; Skin-Rabbit LD50 • 5170 mg/kg |

| GHS Properties | Classification |
|-------------------|--------------------------------|
| Acute toxicity | EU/CLP• OSHA HCS 2012• UN GHS• |
| Aspiration Hazard | EU/CLP• OSHA HCS 2012• UN GHS• |

| Carcinogenicity | EU/CLP• OSHA HCS 2012• UN GHS• |
|-------------------------------|---|
| Germ Cell Mutagenicity | EU/CLP• OSHA HCS 2012• UN GHS• |
| Skin corrosion/Irritation | EU/CLP• OSHA HCS 2012• UN GHS• |
| Skin sensitization | EU/CLP•Skin Sensitizer 1 OSHA HCS 2012•Skin Sensitizer 1 UN GHS•Skin Sensitizer 1 |
| STOT-RE | EU/CLP• OSHA HCS 2012• UN GHS• |
| STOT-SE | EU/CLP• OSHA HCS 2012• UN GHS• |
| Toxicity for Reproduction | EU/CLP• OSHA HCS 2012• UN GHS• |
| Respiratory sensitization | EU/CLP• OSHA HCS 2012• UN GHS• |
| Serious eye damage/Irritation | EU/CLP• OSHA HCS 2012• UN GHS• |

Potential Health Effects

Inhalation

Acute (Immediate)May cause irritation.Chronic (Delayed)No data available

Skin

Acute (Immediate)
• May cause an allergic skin reaction.

Chronic (Delayed) • Repeated and prolonged exposure may cause irritation.

Eye

Acute (Immediate) • May cause irritation.

Chronic (Delayed) • Repeated and prolonged exposure may cause irritation.

Ingestion

Acute (Immediate)

Chronic (Delayed)

No data available

No data available

Section 12 - Ecological Information

12.1 Toxicity

| Component | CAS | Data | Comments |
|-----------------------------|-----|---|----------|
| Benzophenone (0.1% TO 0.3%) | | Crustacea: 24 Hour(s) EC50 Crustacea 0.28 mg/L; Fish: 96 Hour(s) LC50 Fish 14.2 mg/L | |

12.2 Persistence and degradability

• No data available

12.3 Bioaccumulative potential

• No data available

12.4 Mobility in Soil

No data available

12.5 Results of PBT and vPvB assessment

No data available

12.6 Other adverse effects

Section 13 - Disposal Considerations

13.1 Waste treatment methods

Product waste

• Dispose of content in accordance with local, regional, national, and/or international regulations.

Packaging waste

• Dispose of container in accordance with local, regional, national, and/or international regulations.

Section 14 - Transport Information

| | 14.1 UN number | 14.2 UN proper shipping name | 14.3 Transport hazard class(es) | 14.4 Packing group | 14.5 Environmental hazards |
|-----------|-------------------|------------------------------|---------------------------------|-----------------------|----------------------------|
| DOT | NDA | NDA | NDA | NDA | NDA |
| IMO/IMDG | NDA | NDA | NDA | NDA | NDA |
| IATA/ICAO | NDA | NDA | NDA | NDA | NDA |

14.6 Special precautions for user

· None specified.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

• Not relevant.

14.8 Other information

DOT • Not regulated.

IMO/IMDG • Not regulated.

IATA/ICAO • Not regulated.

Section 15 - Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

SARA Hazard Classifications • Acute

| Inventory | | | | | | |
|---|-----------------|----------------|------------|-------------|-------|-----------|
| Component | CAS | Australia AICS | Canada DSL | Canada NDSL | China | EU EINECS |
| 2-Propenoic acid, 2- (hydroxymethyl)-2- (((1-oxo-2- propenyl)oxy)methyl)- 1,3-propanediyl ester | 3524-68-3 | Yes | Yes | No | Yes | Yes |
| Acrylic acid, triester with 2-ethyl-2- (hydroxymethyl)-1,3- propanediol | 15625-89- 5 | Yes | Yes | No | Yes | Yes |
| Benzophenone | 119-61-9 | Yes | Yes | No | Yes | Yes |
| Ethoxylated nonyl phenol acrylate | 678991-31- 6 | No | No | Yes | No | No |
| Pentaerythritol Tetraacrylate | 4986-89-4 | Yes | Yes | No | Yes | Yes |

| Inventory (Con't.) | | | | | | |
|---|-----------------|------------|------------|-------------|-------------------|------|
| Component | CAS | Japan ENCS | Korea KECL | New Zealand | Philippines PICCS | TSCA |
| 2-Propenoic acid, 2- (hydroxymethyl)-2- (((1-oxo-2- propenyl)oxy)methyl)- 1,3-propanediyl ester | 3524-68-3 | Yes | Yes | Yes | Yes | Yes |
| Acrylic acid, triester with 2-ethyl-2- (hydroxymethyl)-1,3- propanediol | 15625-89- 5 | Yes | Yes | Yes | Yes | Yes |
| Benzophenone | 119-61-9 | Yes | Yes | Yes | Yes | Yes |
| Ethoxylated nonyl phenol acrylate | 678991-31- 6 | No | No | No | No | Yes |
| Pentaerythritol Tetraacrylate | 4986-89-4 | Yes | Yes | Yes | Yes | Yes |

Australia

Labor

| Australia - List of Designated Hazardous Substances - Glassification | | |
|--|-------------|----------------|
| Acrylic acid, triester with 2-ethyl-2-(hydroxymethyl)-1,3-propanediol | 15625-89-5 | Xi R36/38, R43 |
| •2-Propenoic acid, 2-(hydroxymethyl)-2-(((1-oxo-2-propenyl)oxy)methyl)-1,3-propanediyl ester | 3524-68-3 | Xi R36/38, R43 |
| •Ethoxylated nonyl phenol acrylate | 678991-31-6 | Not Listed |
| Pentaerythritol Tetraacrylate | 4986-89-4 | Xi R36/38, R43 |
| •Benzophenone | 119-61-9 | Not Listed |

Canada

| Labor Canada - WHMIS - Classifications of Substances | | |
|--|-------------|------------|
| Acrylic acid, triester with 2-ethyl-2-(hydroxymethyl)-1,3-propanediol | 15625-89-5 | D2B |
| •2-Propenoic acid, 2-(hydroxymethyl)-2-(((1-oxo-2-propenyl)oxy)methyl)-1,3-propanediyl ester | 3524-68-3 | Not Listed |
| •Ethoxylated nonyl phenol acrylate | 678991-31-6 | Not Listed |
| Pentaerythritol Tetraacrylate | 4986-89-4 | Not Listed |
| •Benzophenone | 119-61-9 | Not Listed |

Europe

Other

| EU - CLP (1272/2008) - Annex VI - Table 3.2 - Classification | | |
|---|-------------|---------------------------|
| •Acrylic acid, triester with 2-ethyl-2-(hydroxymethyl)-1,3-propanediol | 15625-89-5 | Xi; R36/38 R43 |
| •2-Propenoic acid, 2-(hydroxymethyl)-2-(((1-oxo-2-propenyl)oxy)methyl)-1,3-propanediyl | 3524-68-3 | Xi; R36/38 R43 |
| ester | 3324-00-3 | AI, 130/38 13 |
| •Ethoxylated nonyl phenol acrylate | 678991-31-6 | Not Listed |
| Pentaerythritol Tetraacrylate | 4986-89-4 | Xi; R36/38 R43 |
| •Benzophenone | 119-61-9 | Not Listed |
| EU - CLP (1272/2008) - Annex VI - Table 3.2 - Labelling | | |
| Acrylic acid, triester with 2-ethyl-2-(hydroxymethyl)-1,3-propanediol | 15625-89-5 | Xi R:36/38-43 S:(2)-39 |
| •2-Propenoic acid, 2-(hydroxymethyl)-2-(((1-oxo-2-propenyl)oxy)methyl)-1,3-propanediyl | 3524-68-3 | Xi R:36/38-43 S:(2)-39 |
| ester | 3324-00-3 | XI X:30/30-43 3.(2)-39 |
| •Ethoxylated nonyl phenol acrylate | 678991-31-6 | Not Listed |
| Pentaerythritol Tetraacrylate | 4986-89-4 | Xi R:36/38-43 S:(2)-26-39 |
| •Benzophenone | 119-61-9 | Not Listed |
| EU - CLP (1272/2008) - Annex VI - Table 3.2 - Notes - Substances and Preparations | | |
| Acrylic acid, triester with 2-ethyl-2-(hydroxymethyl)-1,3-propanediol | 15625-89-5 | D |
| •2-Propenoic acid, 2-(hydroxymethyl)-2-(((1-oxo-2-propenyl)oxy)methyl)-1,3-propanediyl | 3524-68-3 | D |
| ester | | |
| •Ethoxylated nonyl phenol acrylate | 678991-31-6 | Not Listed |
| Pentaerythritol Tetraacrylate | 4986-89-4 | D |
| •Benzophenone | 119-61-9 | Not Listed |
| EU - CLP (1272/2008) - Annex VI - Table 3.2 - Safety Phrases | | |
| Acrylic acid, triester with 2-ethyl-2-(hydroxymethyl)-1,3-propanediol | 15625-89-5 | S:(2)-39 |
| •2-Propenoic acid, 2-(hydroxymethyl)-2-(((1-oxo-2-propenyl)oxy)methyl)-1,3-propanediyl | 3524-68-3 | S:(2)-39 |
| ester | 002 : 00 0 | 0.(2) 00 |

| | •Ethoxylated nonyl phenol acrylate | 678991-31-6 | Not Listed |
|---|--|-----------------------|---------------------------|
| | Pentaerythritol Tetraacrylate Benzophenone | 4986-89-4 119-61-9 | S:(2)-26-39 Not Listed |
| | EU - Endocrine Disrupters (COM (2001)262) - Candidate List of Substances | 119-01-9 | NOI LISIEU |
| | •Acrylic acid, triester with 2-ethyl-2-(hydroxymethyl)-1,3-propanediol | 15625-89-5 | Not Listed |
| | •2-Propenoic acid, 2-(hydroxymethyl)-2-(((1-oxo-2-propenyl)oxy)methyl)-1,3-propanediyl ester | 3524-68-3 | Not Listed |
| | •Ethoxylated nonyl phenol acrylate | 678991-31-6 | Not Listed |
| | Pentaerythritol Tetraacrylate | 4986-89-4 | Not Listed |
| | •Benzophenone | 119-61-9 | Group III Chemical |
| | EU - Existing Substance Regulation (793/93/EEC) - Evaluation of Existing HPV Cher | • | LED) |
| | Acrylic acid, triester with 2-ethyl-2-(hydroxymethyl)-1,3-propanediol | 15625-89-5 | |
| | •2-Propenoic acid, 2-(hydroxymethyl)-2-(((1-oxo-2-propenyl)oxy)methyl)-1,3-propanediyl ester | 3524-68-3 | Not Listed |
| | •Ethoxylated nonyl phenol acrylate | 678991-31-6 | Not Listed |
| | Pentaerythritol Tetraacrylate | 4986-89-4 | Not Listed |
| | •Benzophenone | 119-61-9 | |
| G | Germany | | |
| Ξ | nvironment Germany - Water Classification (VwVwS) - Annex 2 - Water Hazard Classes | | |
| | Germany - Water Glassification (VWVWO) - Allilex 2 - Water Hazard Glasses | | ID Number 1845, haz |
| | | | |

G

E

| •Acrylic acid, triester with 2-ethyl-2-(hydroxymethyl)-1,3-propanediol | 15625-89-5 | ID Number 1845, hazard class 1 - low hazard to waters |
|--|-------------|---|
| •2-Propenoic acid, 2-(hydroxymethyl)-2-(((1-oxo-2-propenyl)oxy)methyl)-1,3-propanediyl ester | 3524-68-3 | Not Listed |
| •Ethoxylated nonyl phenol acrylate | 678991-31-6 | Not Listed |
| Pentaerythritol Tetraacrylate | 4986-89-4 | Not Listed |
| •Benzophenone | 119-61-9 | Not Listed |
| Germany - Water Classification (VwVwS) - Annex 3 | | |
| Acrylic acid, triester with 2-ethyl-2-(hydroxymethyl)-1,3-propanediol | 15625-89-5 | Not Listed |
| •2-Propenoic acid, 2-(hydroxymethyl)-2-(((1-oxo-2-propenyl)oxy)methyl)-1,3-propanediyl ester | 3524-68-3 | Not Listed |
| •Ethoxylated nonyl phenol acrylate | 678991-31-6 | Not Listed |
| Pentaerythritol Tetraacrylate | 4986-89-4 | Not Listed |
| •Benzophenone | 119-61-9 | ID Number 2024, hazard class 2 - hazard to waters |

Japan

Other

| Japan - Chemical Substance Control Law (CSCL) - Examined Existing Chemical Substances | | | | | |
|---|-------------|---|--|--|--|
| •Acrylic acid, triester with 2-ethyl-2-(hydroxymethyl)-1,3-propanediol | 15625-89-5 | Non-biodegradable/Low bioconcentration | | | |
| •2-Propenoic acid, 2-(hydroxymethyl)-2-(((1-oxo-2-propenyl)oxy)methyl)-1,3-propanediyl ester | 3524-68-3 | Non-biodegradable/Low bioconcentration | | | |
| •Ethoxylated nonyl phenol acrylate | 678991-31-6 | Not Listed | | | |
| Pentaerythritol Tetraacrylate | 4986-89-4 | Not Listed | | | |
| •Benzophenone | 119-61-9 | Non-biodegradable/Low bioconcentration | | | |
| Japan - Fire Service Law - Hazardous Materials | | | | | |
| •Acrylic acid, triester with 2-ethyl-2-(hydroxymethyl)-1,3-propanediol | 15625-89-5 | Group 4 - Flammable liquids III (listed under 3rd Class petroleums - insoluble) | | | |
| $ \hbox{$^\bullet$2-Propenoic acid, 2-(hydroxymethyl)-2-(((1-oxo-2-propenyl)oxy)methyl)-1,3-propanediyle ster } \\$ | 3524-68-3 | Group 4 - Flammable liquids III (listed under 3rd Class petroleums - insoluble) | | | |
| •Ethoxylated nonyl phenol acrylate | 678991-31-6 | Not Listed | | | |
| Pentaerythritol Tetraacrylate | 4986-89-4 | Not Listed | | | |
| •Benzophenone | 119-61-9 | Not Listed | | | |
| Inited States California | | | | | |

United States - California

Environment

| U.S California - Proposition 65 - Carcinogens List | | | |
|--|------------|------------|--|
| •Acrylic acid, triester with 2-ethyl-2-(hydroxymethyl)-1,3-propanediol | 15625-89-5 | Not Listed | |
| •2-Propenoic acid, 2-(hydroxymethyl)-2-(((1-oxo-2-propenyl)oxy)methyl)-1,3-propanediyl ester | 3524-68-3 | Not Listed | |

•Ethoxylated nonyl phenol acrylate

•Pentaerythritol Tetraacrylate

Benzophenone

678991-31-6 Not Listed Not Listed 4986-89-4

carcinogen, initial date 119-61-9

6/22/12

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

15.3 Other Information

• California Proposition 65: This product contains or may contain a substance(s) known to the State of California to cause cancer and/or reproductive toxicity:

CAS #119-61-9 Benzophenone 0.1-0.3%

Section 16 - Other Information

Relevant Phrases (code & full text)

• EUH208 - Contains sensitizing substance. May produce an allergic reaction.

H317 - May cause an allergic skin reaction

H412 - Harmful to aquatic life with long lasting effects

P261 - Avoid breathing dust, fume, gas, mist, vapors and/or spray.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 - IF ON SKIN: Wash with plenty of soap and water.

P321 - Specific treatment, see supplemental first aid information.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P363 - Wash contaminated clothing before reuse.

P501 - Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

R36/38 - Irritating to eyes and skin.

R43 - May cause sensitization by skin contact.

R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R52/53 - Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

S24 - Avoid contact with skin.

S37 - Wear suitable gloves.

S45 - In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

Classification method for mixtures

Calculation method.

Last Revision Date

N/A

Preparation Date

• 29 April 2015

Other Information

• Approved by: Troy Bergstedt, Director of Chemical Research, (218) 628-2217 ext.142.

Liability

Disclaimer/Statement of • The information contained herein is based on data available to us and is believed to be correct. Since this information may have been obtained in part from independent laboratories or other sources not under direct supervision, no representation is made that the information is accurate, reliable, complete, or representative and Buyer may rely thereon only at the Buyer's risk. We make no guarantee that the health and safety precautions we have suggested will be adequate for all individuals and / or situations involving its handling and uses. No warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. Vendor assumes no responsibility for injury to vendee or third person proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet.