Safety Data Sheet

Section 1: Identification of the Substance/Mixture and of the Company/Undertaking

1.1 Product identifier

Product Name • **Blastable Application Adhesive**

Product Description • White liquid.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified use(s) • Adhesive

1.3 Details of the supplier of the safety data sheet

Manufacturer • IKONICS Corporation
4832 Grand Ave.
Duluth, MN 55807
United States
www.ikonics.com
sds@ikonics.com

Telephone (General) • (218) 628-2217

Telephone (General) • (800) 328-4261 - Toll free

1.4 Emergency telephone number

Chemtrec
- 1-800-424-9300 - Within USA and Canada
- +1 703-527-3887 - Outside USA and Canada (collect calls accepted)

Section 2: Hazards Identification

EU/EEC

According to Regulation (EC) No 1272/2008 (CLP)/REACH 1907/2006 [amended by 453/2010]
According to EU Directive 67/548/EEC (DSD) or 1999/45/EC (DPD)

2.1 Classification of the substance or mixture

CLP • Not classified

DSD/DPD • Not classified

2.2 Label Elements

CLP

Precautionary statements

Prevention • P280 - Wear protective gloves/protective clothing/eye protection/face protection.

Response • P302+P352 - IF ON SKIN: Wash with plenty of soap and water.
P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Storage/Disposal • P501 - Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

DSD/DPD

2.3 Other Hazards

CLP
- No data available

DSD/DPD
- No data available

UN GHS
According to Third Revised Edition

2.1 Classification of the substance or mixture

UN GHS
- Not classified

2.2 Label elements

UN GHS

Precautionary statements

Prevention
- P280 - Wear protective gloves/protective clothing/eye protection/face protection.

Response
- P302+P352 - IF ON SKIN: Wash with plenty of soap and water.
  P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
  P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Storage/Disposal
- P501 - Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

2.3 Other hazards

UN GHS
- No data available

United States (US)
According to OSHA 29 CFR 1910.1200 HCS

2.1 Classification of the substance or mixture

OSHA HCS 2012
- Not classified

2.2 Label elements

OSHA HCS 2012

Precautionary statements

Prevention
- Wear protective gloves/protective clothing/eye protection/face protection. - P280

Response
- IF ON SKIN: Wash with plenty of soap and water. - P302+P352
  IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. - P304+P340
  IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. - P305+P351+P338

Storage/Disposal
- Dispose of content and/or container in accordance with local, regional, national, and/or international regulations. - P501

2.3 Other hazards

OSHA HCS 2012
- No data available

Canada
According to WHMIS

2.1 Classification of the substance or mixture

WHMIS
- Not classified

2.2 Label elements

WHMIS • Not classified

2.3 Other hazards

WHMIS • No data available

2.4 Other information

NFPA

Key to abbreviations

= See Section 16 for full text of R and S phrases.

Section 3 - Composition/Information on Ingredients

3.1 Substances

3.2 Mixtures

Composition					
Chemical Name	**Identifiers**	**%**	**LD50/LC50**	**Classifications According to Regulation/Directive**	**Comments**
Isopropyl alcohol	**CAS:**67-63-0 **EC Number:**200-661-7 **EU Index:**603-117-00-0 **UN:**UN1219 **EINECS:**200-661-7	6%	Inhalation-Rat LC50 • 16000 ppm 8 Hour(s) Skin-Rabbit LD50 • 12800 mg/kg Ingestion/Oral-Rat LD50 • 5000 mg/kg	**WHMIS:** Flam. Liq. - B2; Other Toxic Effects - D2B **UN GHS:** Eye Irrit. 2A **EU DSD/DPD:** Highly Flammable(F); Irritant(Xi); R11; R36; R67 **EU CLP:** Eye Irrit. 2 **OSHA HCS 2012:**	NDA

Key to abbreviations

= See Section 16 for full text of R and S phrases.

See Section 11 for Toxicological Information.

Section 4 - First Aid Measures

4.1 Description of first aid measures

Inhalation • IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, give artificial respiration and call 911 or emergency medical service.

Skin • IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention.

Eye • IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Ingestion • If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Rinse mouth. Never give anything by mouth to an unconscious person. If large quantities are swallowed, call a physician immediately.

4.2 Most important symptoms and effects, both acute and delayed

• Refer to Section 11 - Toxicological Information.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to Physician • No data available.

Antidotes • No data available.

Section 5 - Firefighting Measures

5.1 Extinguishing media

Suitable Extinguishing Media
- SMALL FIRES: Dry chemical, CO2, water spray or regular foam.
  LARGE FIRE: Water spray, fog or regular foam.

Unsuitable Extinguishing Media
- No data available.

Firefighting Procedures
- Fire fighters should wear complete protective clothing including self-contained breathing apparatus.
  Keep unauthorized personnel away.
  Ventilate closed spaces before entering.
  LARGE FIRES: Use extinguishing agent suitable for type of surrounding fire.

5.2 Special hazards arising from the substance or mixture

Unusual Fire and Explosion Hazards
- Some of these materials may burn, but none ignite readily.

Hazardous Combustion Products
- Products of combustion include: carbon oxides (COx).

5.3 Advice for firefighters

- Structural firefighters' protective clothing provides limited protection in fire situations ONLY; it is not effective in spill situations where direct contact with the substance is possible.
  Wear chemical protective clothing that is specifically recommended by the manufacturer. It may provide little or no thermal protection.
  Wear positive pressure self-contained breathing apparatus (SCBA).

Section 6 - Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal Precautions
- Do not touch or walk through spilled material. Ventilate enclosed areas.

Emergency Procedures
- No emergency procedures are expected to be necessary if material is used under ordinary conditions as recommended. Use normal clean up procedures.

6.2 Environmental precautions

- LARGE SPILLS: Prevent entry into waterways, sewers, basements or confined areas.

6.3 Methods and material for containment and cleaning up

Containment/Clean-up Measures
- Use appropriate Personal Protective Equipment (PPE)
  Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in suitable container.

6.4 Reference to other sections

- Refer to Section 8 - Exposure Controls/Personal Protection and Section 13 - Disposal Considerations.

Section 7 - Handling and Storage

7.1 Precautions for safe handling

Handling
- Use good safety and industrial hygiene practices.

7.2 Conditions for safe storage, including any incompatibilities

Storage
- Store away from extreme heat. Do not freeze. Keep container closed when not in use.

7.3 Specific end use(s)

- Refer to Section 1.2 - Relevant identified uses.

Section 8 - Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits/Guidelines • No data available.

Exposure Limits/Guidelines						
	Result	**ACGIH**	**Argentina**	**Australia**	**Belgium**	**Brazil**
Isopropyl alcohol (67-63-0)	STELs	400 ppm STEL	500 ppm STEL [CMP-CPT]	500 ppm STEL; 1230 mg/m3 STEL	400 ppm STEL; 1000 mg/m3 STEL	Not established
	TWAs	200 ppm TWA	400 ppm TWA [CMP]	400 ppm TWA; 983 mg/m3 TWA	200 ppm TWA; 500 mg/m3 TWA	310 ppm TWA LT; 765 mg/m3 TWA LT

Exposure Limits/Guidelines (Con't.)						
	Result	**Canada Alberta**	**Canada British Columbia**	**Canada Manitoba**	**Canada New Brunswick**	**Canada Northwest Territories**
Isopropyl alcohol (67-63-0)	STELs	400 ppm STEL; 984 mg/m3 STEL	400 ppm STEL	400 ppm STEL	500 ppm STEL; 1230 mg/m3 STEL	500 ppm STEL; 1228 mg/m3 STEL
	TWAs	200 ppm TWA; 492 mg/m3 TWA	200 ppm TWA	200 ppm TWA	400 ppm TWA; 983 mg/m3 TWA	400 ppm TWA; 983 mg/m3 TWA

Exposure Limits/Guidelines (Con't.)						
	Result	**Canada Nova Scotia**	**Canada Nunavut**	**Canada Ontario**	**Canada Quebec**	**Canada Saskatchewan**
Isopropyl alcohol (67-63-0)	STELs	400 ppm STEL	500 ppm STEL; 1228 mg/m3 STEL	400 ppm STEL	500 ppm STEV; 1230 mg/m3 STEV	400 ppm STEL
	TWAs	200 ppm TWA	400 ppm TWA; 983 mg/m3 TWA	200 ppm TWA	400 ppm TWAEV; 985 mg/m3 TWAEV	200 ppm TWA

Exposure Limits/Guidelines (Con't.)						
	Result	**Canada Yukon**	**Chile**	**China**	**Denmark**	**Egypt**
Isopropyl alcohol (67-63-0)	STELs	500 ppm STEL; 1225 mg/m3 STEL	500 ppm STEL LPT; 1230 mg/m3 STEL LPT	700 mg/m3 STEL	Not established	500 ppm STEL; 1230 mg/m3 STEL
	TWAs	400 ppm TWA; 980 mg/m3 TWA	320 ppm TWA LPP; 786 mg/m3 TWA LPP	350 mg/m3 TWA	200 ppm TWA; 490 mg/m3 TWA	Not established

Exposure Limits/Guidelines (Con't.)						
	Result	**Finland**	**France**	**Germany DFG**	**Germany TRGS**	**Hong Kong**
Isopropyl alcohol (67-63-0)	STELs	250 ppm STEL; 620 mg/m3 STEL	400 ppm STEL [VLCT]; 980 mg/m3 STEL [VLCT]	Not established	Not established	500 ppm STEL; 1230 mg/m3 STEL
	TWAs	200 ppm TWA (listed under Propanol); 500 mg/m3 TWA (listed under Propanol)	Not established	Not established	200 ppm TWA AGW (The risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed, exposure factor 2); 500 mg/m3 TWA AGW (The risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed, exposure factor 2)	Not established
	Ceilings	Not established	Not established	400 ppm Peak; 1000 mg/m3 Peak	Not established	Not established
	MAKs	Not established	Not established	200 ppm TWA MAK; 500 mg/m3 TWA MAK	Not established	Not established

Exposure Limits/Guidelines (Con't.)						
	Result	**Indonesia**	**Ireland**	**Japan**	**Korea**	**Mexico**
Isopropyl alcohol (67-63-0)	Ceilings	Not established	Not established	400 ppm Ceiling; 980 mg/m3 Ceiling	Not established	Not established
	STELs	Not established	400 ppm STEL	Not established	400 ppm STEL (Serial No. 455); 980 mg/m3 STEL (Serial No. 455)	500 ppm STEL [LMPE-CT]; 1225 mg/m3 STEL [LMPE-CT]
	TWAs	400 ppm TWA; 983 mg/m3 TWA	200 ppm TWA	Not established	200 ppm TWA (Serial No. 455); 480 mg/m3 TWA (Serial No. 455)	400 ppm TWA LMPE-PPT; 980 mg/m3 TWA LMPE-PPT

Exposure Limits/Guidelines (Con't.)						
	Result	**New Zealand**	**NIOSH**	**Norway**	**OSHA**	**Philippines**
Isopropyl alcohol (67-63-0)	TWAs	400 ppm TWA; 983 mg/m3 TWA	400 ppm TWA; 980 mg/m3 TWA	100 ppm TWA; 245 mg/m3 TWA	400 ppm TWA; 980 mg/m3 TWA	400 ppm TWA; 980 mg/m3 TWA
	STELs	500 ppm STEL; 1230 mg/m3 STEL	500 ppm STEL; 1225 mg/m3 STEL	Not established	Not established	Not established

Exposure Limits/Guidelines (Con't.)						
	Result	**Poland**	**Portugal**	**Russia**	**Singapore**	**South Africa**
Isopropyl alcohol (67-63-0)	STELs	1200 mg/m3 STEL [NDSCh]	400 ppm STEL [VLE-CD	50 mg/m3 STEL (vapor)	500 ppm STEL; 1230 mg/m3 STEL	500 ppm STEL; 1225 mg/m3 STEL
	TWAs	900 mg/m3 TWA [NDS]	200 ppm TWA [VLE-MP]	10 mg/m3 TWA (vapor)	400 ppm PEL; 983 mg/m3 PEL	400 ppm TWA; 960 mg/m3 TWA; 980 mg/m3 TWA (regulated under Propane-2-ol)

Exposure Limits/Guidelines (Con't.)						
	Result	**Spain**	**Sweden**	**Switzerland**	**Taiwan**	**Venezuela**
Isopropyl alcohol (67-63-0)	MAKs	Not established	Not established	200 ppm TWA [MAK]; 500 mg/m3 TWA [MAK]	Not established	Not established
	STELs	400 ppm STEL [VLA-EC]; 1000 mg/m3 STEL [VLA-EC]	250 ppm STV; 600 mg/m3 STV	400 ppm STEL [KZW] (4 X 15); 1000 mg/m3 STEL [KZW] (4 X 15)	Not established	500 ppm STEL [LEB
	TWAs	Not established	150 ppm LLV; 350 mg/m3 LLV	Not established	400 ppm TWA; 983 mg/m3 TWA	400 ppm TWA [CAP
	Biological Limit Values (BLV)	40 mg/L urine end of workweek Acetone (1,F,I)	Not established	Not established	Not established	Not established

Exposure Control Notations

Switzerland

•Polyethylene glycol #400 (25322-68-3): **Developmental Risk Groups:** (Developmental Risk Group C)

•Isopropyl alcohol (67-63-0): **Developmental Risk Groups:** (Developmental Risk Group C)

Singapore

•Isopropyl alcohol (67-63-0): **Odour Threshold - High:** (490 mg/m3) | **Odour Threshold - Low:** (8 mg/m3) | **Irritation:** (490 mg/m3)

South Africa

•Isopropyl alcohol (67-63-0): **Skin:** (Skin Notation)

Brazil

•Isopropyl alcohol (67-63-0): **Skin:** (skin designation)

Ireland

•Isopropyl alcohol (67-63-0): **Skin:** (Potential for cutaneous absorption)

Germany DFG

•Polyethylene glycol #400 (25322-68-3): **Pregnancy:** (no risk to embryo/fetus if exposure limits adhered to (average molecular weight 200 - 600))

•Isopropyl alcohol (67-63-0): **Pregnancy:** (no risk to embryo/fetus if exposure limits adhered to)

Exposure Limits Supplemental

Switzerland

•Isopropyl alcohol (67-63-0): **Biological Limit Values:** (25 mg/L Medium: urine Time: end of shift Parameter: Acetone; 25 mg/L Medium:

whole blood Time: end of shift Parameter: Acetone)
Argentina
•Isopropyl alcohol (67-63-0): **BEIs:** (2 mg/g Creatinine urine Acetone)
ACGIH
•Isopropyl alcohol (67-63-0): **BEIs:** (40 mg/L Medium: urine Time: end of shift at end of workweek Parameter: Acetone (background, nonspecific)) | **TLV Basis - Critical Effects:** (CNS impairment; eye and upper respiratory tract irritation)
Germany TRGS
•Isopropyl alcohol (67-63-0): **BELs:** (25 mg/L Medium: whole blood Time: end of shift Parameter: Acetone; 25 mg/L Medium: urine Time: end of shift Parameter: Acetone)

8.2 Exposure controls

Engineering Measures/Controls
- Local exhaust is recommended but not required. Provide adequate ventilation as necessary.

Personal Protective Equipment

Pictograms
- 

Respiratory
- Not required.

Eye/Face
- Wear protective eyewear (goggles, face shield, or safety glasses).

Hands
- Wear protective gloves - rubber or neoprene.

Skin/Body
- Wear protective clothing - apron or other impervious body coverings.

General Industrial Hygiene Considerations
- Handle in accordance with good industrial hygiene and safety practice.

Environmental Exposure Controls
- No data available

Section 9 - Physical and Chemical Properties

9.1 Information on Physical and Chemical Properties

Material Description			
Physical Form	Liquid	Appearance/Description	Viscous liquid.
Color	White	Odor	Isopropyl alcohol.
Taste	Not relevant	Odor Threshold	Not relevant
General Properties			
Boiling Point	100 C(212 F)	Melting Point	No data available
Decomposition Temperature	Not relevant	pH	No data available
Specific Gravity/Relative Density	Not relevant	Density	8.4 lbs/gal
Water Solubility	Miscible	Viscosity	No data available
Explosive Properties	None.	Oxidizing Properties:	None.
Volatility			
Vapor Pressure	No data available	Vapor Density	No data available
Evaporation Rate	No data available	VOC (Wt.)	6 %
Volatiles (Wt.)	78.5 %		
Flammability			
Flash Point	No data available	UEL	No data available
LEL	No data available	Autoignition	Not relevant
Flammability (solid, gas)	Not relevant		
Environmental			
Half-Life	No data available	Octanol/Water Partition coefficient	No data available
Coefficient of water/oil distribution	No data available	Bioaccumulation Factor	No data available
Bioconcentration Factor	No data available	Biochemical Oxygen Demand BOD/BOD5	No data available
Chemical Oxygen Demand	No data available	Persistence	No data available
Degradation	No data available		

9.2 Other Information

- No additional physical and chemical parameters noted.

Section 10: Stability and Reactivity

10.1 Reactivity

- No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

- Stable under normal temperatures and pressures.

10.3 Possibility of hazardous reactions

- Hazardous polymerization will not occur.

10.4 Conditions to avoid

- Avoid freezing. Excess heat.

10.5 Incompatible materials

- No data available.

10.6 Hazardous decomposition products

- No decomposition is expected under normal storage and use conditions. Hazardous decomposition products formed under fire conditions - carbon oxides (COx).

Section 11 - Toxicological Information

11.1 Information on toxicological effects

Components		
Isopropyl alcohol (6%)	67-63-0	**Acute Toxicity:** Ingestion/Oral-Rat LD50 • 5000 mg/kg; *Behavioral*:**General anesthetic**; Inhalation-Rat LC50 • 72600 mg/m³; *Behavioral*:**General anesthetic**; *Lungs, Thorax, or Respiration*:**Other changes**; Skin-Rabbit LD50 • 12800 mg/kg; **Irritation:** Eye-Rabbit • 10 mg • Moderate irritation; Skin-Rabbit • 500 mg • Mild irritation

GHS Properties	Classification
Acute toxicity	**EU/CLP•** **OSHA HCS 2012•** **UN GHS•**
Aspiration Hazard	**EU/CLP•** **OSHA HCS 2012•** **UN GHS•**
Carcinogenicity	**EU/CLP•** **OSHA HCS 2012•** **UN GHS•**
Germ Cell Mutagenicity	**EU/CLP•** **OSHA HCS 2012•** **UN GHS•**
Skin corrosion/Irritation	**EU/CLP•** **OSHA HCS 2012•** **UN GHS•**
Skin sensitization	**EU/CLP•** **OSHA HCS 2012•** **UN GHS•**
STOT-RE	**EU/CLP•** **OSHA HCS 2012•** **UN GHS•**
STOT-SE	**EU/CLP•**

	OSHA HCS 2012• **UN GHS•**
Toxicity for Reproduction	**EU/CLP•** **OSHA HCS 2012•** **UN GHS•**
Respiratory sensitization	**EU/CLP•** **OSHA HCS 2012•** **UN GHS•**
Serious eye damage/Irritation	**EU/CLP•** **OSHA HCS 2012•** **UN GHS•**

Potential Health Effects

Inhalation

Acute (Immediate)
- May cause mild irritation.

Chronic (Delayed)
- Repeated and prolonged exposure may cause irritation.

Skin

Acute (Immediate)
- May cause irritation.

Chronic (Delayed)
- Repeated and prolonged exposure may cause irritation.

Eye

Acute (Immediate)
- May cause irritation.

Chronic (Delayed)
- Repeated and prolonged exposure may be harmful.

Ingestion

Acute (Immediate)
- May cause gastrointestinal disturbances including diarrhea, nausea, and vomiting.

Chronic (Delayed)
- No specific information available.

Section 12 - Ecological Information

12.1 Toxicity

- No data available

12.2 Persistence and degradability

- No data available

12.3 Bioaccumulative potential

- No data available

12.4 Mobility in Soil

- No data available

12.5 Results of PBT and vPvB assessment

- No data available

12.6 Other adverse effects

Section 13 - Disposal Considerations

13.1 Waste treatment methods

Product waste
- Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Packaging waste
- Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

13.2 Other Information

- Dispose of wastes in an approved waste disposal facility.

Section 14 - Transport Information

	14.1 UN number	14.2 UN proper shipping name	14.3 Transport hazard class(es)	14.4 Packing group	14.5 Environmental hazards
DOT	NDA	NDA	NDA	NDA	NDA
IMO/IMDG	NDA	NDA	NDA	NDA	NDA
IATA/ICAO	NDA	NDA	NDA	NDA	NDA

14.6 Special precautions for user
- None specified.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code
- Not relevant.

14.8 Other information

DOT
- Not regulated.

IMO/IMDG
- Not regulated.

IATA/ICAO
- Not regulated.

Section 15 - Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

SARA Hazard Classifications
- No data available

State Right To Know				
Component	**CAS**	**MA**	**NJ**	**PA**
Isopropyl alcohol	67-63-0	Yes	Yes	Yes

Inventory						
Component	**CAS**	**Australia AICS**	**Canada DSL**	**China**	**EU EINECS**	**Japan ENCS**
Isopropyl alcohol	67-63-0	Yes	Yes	Yes	Yes	Yes

Inventory (Con't.)					
Component	**CAS**	**Korea KECL**	**New Zealand**	**Philippines PICCS**	**TSCA**
Isopropyl alcohol	67-63-0	Yes	Yes	Yes	Yes

Australia

Labor

Australia - High Volume Industrial Chemicals List

•Isopropyl alcohol	67-63-0	

Australia - List of Designated Hazardous Substances - Classification

•Isopropyl alcohol	67-63-0	F, Xi R11, R36, R67

Environment

Australia - Priority Existing Chemical Program

•Isopropyl alcohol	67-63-0	Candidate chemical

Canada

Labor

Canada - WHMIS - Classifications of Substances

•Isopropyl alcohol	67-63-0	B2, D2B (including 70%)

Canada - WHMIS - Ingredient Disclosure List

•Isopropyl alcohol	67-63-0	1 %

Canada Alberta

Environment

Canada - Alberta - Ambient Air Quality Objectives

•Isopropyl alcohol	67-63-0	3190 ppbv 1 hour average; 7850 µg/m3 1 hour average

China

Other

China - Dangerous Goods List

•Isopropyl alcohol	67-63-0	

Europe

Other

EU - CLP (1272/2008) - Annex VI - Table 3.2 - Classification

•Isopropyl alcohol	67-63-0	F; R11 Xi; R36 R67

EU - CLP (1272/2008) - Annex VI - Table 3.2 - Labelling

•Isopropyl alcohol	67-63-0	F Xi R:11-36-67 S:(2)-7-16-24/25-26

EU - CLP (1272/2008) - Annex VI - Table 3.2 - Safety Phrases

•Isopropyl alcohol	67-63-0	S:(2)-7-16-24/25-26

Germany

Environment

Germany - Water Classification (VwVwS) - Annex 2 - Water Hazard Classes

•Isopropyl alcohol	67-63-0	ID Number 135, hazard class 1 - low hazard to waters

Hong Kong

Labor

Hong Kong - Dangerous Substances Regulations - Classification

•Isopropyl alcohol	67-63-0	Flammable

Hong Kong - Dangerous Substances Regulations - Particular Risks

•Isopropyl alcohol	67-63-0	R-11

Hong Kong - Dangerous Substances Regulations - Safety Precautions

•Isopropyl alcohol	67-63-0	S-6/8, S-13

Other

Hong Kong - Dangerous Goods - Category 5 - Substances Giving Off Flammable Vapour

•Isopropyl alcohol	67-63-0	Class 1, Division 2

India

Environment

India - Hazardous Chemical Rules - List of Hazardous and Toxic Chemicals

•Isopropyl alcohol	67-63-0	

Japan

Labor

Japan - ISHL Dangerous Substances

•Isopropyl alcohol	67-63-0	Flammable substance

Japan - ISHL Harmful Substances Requiring Workers to Subject to Medical Exams

•Isopropyl alcohol	67-63-0	(when produced and handled indoors)

Japan - ISHL Harmful Substances Whose Names Are to be Indicated on the Label

•Isopropyl alcohol	67-63-0	>1 % weight

Japan - ISHL Notifiable Substances

•Isopropyl alcohol	67-63-0	>0.1 % weight [Table 9, 494] (listed under Propyl alcohol)

Japan - ISHL Prevention of Organic Solvent Poisoning

•Isopropyl alcohol	67-63-0	Class 2

Environment

Inventory - Japan - Industrial Safety and Health Law Substances (ISHL)

•Isopropyl alcohol	67-63-0	2-(8)-319

Other

Japan - Chemical Substance Control Law (CSCL) - Examined Existing Chemical Substances

•Isopropyl alcohol	67-63-0	Readily biodegradable

Japan - Fire Service Law - Hazardous Materials

•Isopropyl alcohol	67-63-0	Group 4 - Flammable liquids II (listed under Alcohols)

Japan - Japanese Pharmacopoeia Listing - Synthetics

•Isopropyl alcohol	67-63-0	

Japan - ISHL Working Environment Evaluation Standards - Administrative Control Levels

•Isopropyl alcohol	67-63-0	200 ppm ACL

Singapore

Environment

Singapore - Petroleum and Flammable Materials - Hazard Classes

•Isopropyl alcohol	67-63-0	Hazard Class = 3

Singapore - Petroleum and Flammable Materials - Regulated Products

•Isopropyl alcohol	67-63-0	SCDIPA1219L2

United States - Pennsylvania

Labor

U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List

•Isopropyl alcohol	67-63-0

15.2 Chemical Safety Assessment

- No Chemical Safety Assessment has been carried out.

15.3 Other Information

Section 16 - Other Information

Relevant Phrases (code & full text)

- P280 - Wear protective gloves/protective clothing/eye protection/face protection.
  P302+P352 - IF ON SKIN: Wash with plenty of soap and water.
  P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
  P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
  P501 - Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

  R11 - Highly flammable.
  R36 - Irritating to eyes.
  R67 - Vapors may cause drowsiness and dizziness.

Classification method for mixtures
- Calculation method.

Last Revision Date
- 30 July 2004

Preparation Date
- 12 September 2014

Other Information
- Approved by: Troy Bergstedt, Director of Chemical Research, (218) 628-2217 ext.142.

Disclaimer/Statement of Liability
- The information contained herein is based on data available to us and is believed to be correct. Since this information may have been obtained in part from independent laboratories or other sources not under direct supervision, no representation is made that the information is accurate, reliable, complete, or representative and Buyer may rely thereon only at the Buyer's risk. We make no guarantee that the health and safety precautions we have suggested will be adequate for all individuals and / or situations involving its handling and uses. No warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. Vendor assumes no responsibility for injury to vendee or third person proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet.