

Section 1: Identification of the Substance/Mixture and of the Company/Undertaking

1.1 Product identifier

Product Name • UDC ACE

Product Description • Blue liquid.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified use(s) • Water-based emulsion

1.3 Details of the supplier of the safety data sheet

Manufacturer • IKONICS Corporation
4832 Grand Ave.
Duluth, MN 55807
United States
www.ikonics.com
sds@ikonics.com

Telephone (General) • (218) 628-2217

Telephone (General) • (800) 328-4261 - Toll free

1.4 Emergency telephone number

Chemtrec • 1-800-424-9300 - Within USA and Canada
• +1 703-527-3887 - Outside USA and Canada (collect calls accepted)

Section 2: Hazards Identification

EU/EEC

According to: Regulation (EC) No 1272/2008 (CLP)/REACH 1907/2006 [amended by 2015/830]

2.1 Classification of the substance or mixture

CLP • Skin Sensitization 1 - H317
Hazardous to the aquatic environment Chronic 3 - H412
EUH208 - Contains sensitizing substance (Acrylic acid, propylenebis(oxypropylene) ester; Poly(oxy(methyl-1,2-ethanediyl)), alpha,alpha',alpha"-1,2,3-propanetriyltris(omega-((1-oxo-2-propenyl)oxy)). May produce an allergic reaction.

2.2 Label Elements

CLP

WARNING



Hazard statements • H317 - May cause an allergic skin reaction
H412 - Harmful to aquatic life with long lasting effects

Prevention • P261 - Avoid breathing dust, fume, gas, mist, vapors and/or spray.
P272 - Contaminated work clothing should not be allowed out of the workplace.
P273 - Avoid release to the environment.
P280 - Wear protective gloves/protective clothing/eye protection/face protection.

Response • P302+P352 - IF ON SKIN: Wash with plenty of soap and water.
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.
P337+P313 - If eye irritation persists: Get medical advice/attention.
P321 - Specific treatment, see supplemental first aid information.
P362+P364 - Take off contaminated clothing and wash it before reuse.

Storage/Disposal • P501 - Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

2.3 Other Hazards

CLP • No data available

UN GHS

According to: UN Globally Harmonized System of Classification and Labelling of Chemicals (GHS): Eighth Revised Edition

2.1 Classification of the substance or mixture

UN GHS • Skin Sensitization 1
Hazardous to the aquatic environment Acute 2
Hazardous to the aquatic environment Chronic 3

2.2 Label elements

UN GHS

WARNING



Hazard statements • May cause an allergic skin reaction
Toxic to aquatic life
Harmful to aquatic life with long lasting effects

Precautionary statements

Prevention • Avoid breathing dust, fume, gas, mist, vapors and/or spray.
Contaminated work clothing should not be allowed out of the workplace.
Avoid release to the environment.
Wear protective gloves/protective clothing/eye protection/face protection.

Response • IF ON SKIN: Wash with plenty of soap and water.
If skin irritation or rash occurs: Get medical advice/attention.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice/attention.
Specific treatment, see supplemental first aid information.
Take off contaminated clothing and wash it before reuse.

Storage/Disposal • Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

2.3 Other hazards

UN GHS • No data available

United States (US)

According to: OSHA 29 CFR 1910.1200 HCS

2.1 Classification of the substance or mixture

OSHA HCS 2012 • Skin Sensitization 1

2.2 Label elements

OSHA HCS 2012

WARNING



Hazard statements • May cause an allergic skin reaction

Precautionary statements

Prevention • Avoid breathing dust, fume, gas, mist, vapors and/or spray.
Contaminated work clothing should not be allowed out of the workplace.
Wear protective gloves/protective clothing/eye protection/face protection.

Response • IF ON SKIN: Wash with plenty of soap and water.
If skin irritation or rash occurs: Get medical advice/attention.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice/attention.
Specific treatment, see supplemental first aid information.
Take off contaminated clothing and wash it before reuse.

Storage/Disposal • Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

2.3 Other hazards

OSHA HCS 2012 • No data available

Canada

According to: WHMIS 2015

2.1 Classification of the substance or mixture

WHMIS 2015 • Skin Sensitization 1

2.2 Label elements

WHMIS 2015

WARNING



Hazard statements • May cause an allergic skin reaction

Precautionary statements

Prevention • Avoid breathing dust, fume, gas, mist, vapors and/or spray.
Contaminated work clothing should not be allowed out of the workplace.
Wear protective gloves/protective clothing/eye protection/face protection.

Response • IF ON SKIN: Wash with plenty of water.
If skin irritation or rash occurs: Get medical advice/attention.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice/attention.
Specific treatment, see supplemental first aid information.
Take off contaminated clothing and wash it before reuse.

Storage/Disposal • Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

2.3 Other hazards

WHMIS 2015 • No data available

2.4 Other information

NFPA



See Section 12 for Ecological Information.

Section 3 - Composition/Information on Ingredients

3.1 Substances

3.2 Mixtures

Composition				
Chemical Name	Identifiers	%	LD50/LC50	Classifications According to Regulation/Directive
Acrylic acid, propylenebis(oxypropylene) ester	CAS:42978-66-5 EC Number:256-032-2 EU Index:607-249-00-X EINECS:256-032-2	2% TO 3%	Ingestion/Oral-Rat LD50 • 6200 mg/kg Skin-Rabbit LD50 • >2 g/kg	GHS / CLP: Skin Irrit. 2; Eye Irrit. 2; Skin Sens. 1; Aquatic Chronic 2 OSHA / WHMIS: Skin Irrit. 2; Eye Irrit. 2; Skin Sens. 1
Poly(oxy(methyl-1,2-ethanediyl)), alpha,alpha',alpha''-1,2,3-propanetriyltris(omega-((1-oxo-2-propenyl)oxy)	CAS:52408-84-1	2% TO 3%		GHS / CLP / OSHA / WHMIS: Skin Irrit. 2; Eye Irrit. 2; Skin Sens. 1
Benzophenone	CAS:119-61-9 EINECS:204-337-6	1% TO 2%	Ingestion/Oral-Rat LD50 • >10 g/kg Skin-Rabbit LD50 • 3535 mg/kg	GHS / CLP: Skin Irrit. 2; Eye Irrit. 2; Aquatic Acute 1; Aquatic Chronic 1 OSHA / WHMIS: Skin Irrit. 2; Eye Irrit. 2
1-hydroxycyclohexyl phenyl ketone	CAS:947-19-3 EC Number:213-426-9 EINECS:213-426-9	1% TO 2%		GHS / CLP / OSHA / WHMIS: Skin Irrit. 2; Eye Irrit. 2
1-Butanone, 2-(dimethylamino)-1-(4-(4-morpholinyl)phenyl)-2-(phenylmethyl)	CAS:119313-12-1 EC Number:404-360-3 EU Index:606-047-00-9	< 1%	Ingestion/Oral-Rat LD50 • >2000 mg/kg Skin-Rat LD50 • >=2000 mg/kg	GHS / CLP: Aquatic Acute 1; Aquatic Chronic 1 OSHA / WHMIS:

European Chemicals Agency – Candidate List of Substances of Very High Concern for Authorization

1-Butanone, 2-(dimethylamino)-1-(4-(4-morpholinyl)phenyl)-2-(phenylmethyl), CAS #119313-12-1; (2-benzyl-2-dimethylamino-4'-morpholinobutyrophenone); listed 16/01/2020; <1%

See Section 11 for Toxicological Information.

Section 4 - First Aid Measures

4.1 Description of first aid measures

- Inhalation**
- IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, give artificial respiration and call 911 or emergency medical service.
- Skin**
- IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash before reuse. If skin irritation occurs: Get medical advice/attention.
- Eye**
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
- Ingestion**
- If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Rinse mouth. Never give anything by mouth to an unconscious person. If large quantities are swallowed, call a physician immediately.

4.2 Most important symptoms and effects, both acute and delayed

- Refer to Section 11 - Toxicological Information.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to Physician • No data available.

Antidotes • No data available.

4.4 Other information

- Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

Section 5 - Firefighting Measures

5.1 Extinguishing media

Suitable Extinguishing Media • SMALL FIRES: Dry chemical, CO₂, water spray or regular foam.
LARGE FIRE: Water spray, fog or regular foam.

Unsuitable Extinguishing Media • No data available.

Firefighting Procedures

- Fire fighters should wear complete protective clothing including self-contained breathing apparatus.
Keep unauthorized personnel away.
Ventilate closed spaces before entering.
LARGE FIRES: Use extinguishing agent suitable for type of surrounding fire.

5.2 Special hazards arising from the substance or mixture

Unusual Fire and Explosion Hazards • Some of these materials may burn, but none ignite readily.

Hazardous Combustion Products • Products of combustion include: carbon oxides (CO_x), nitrogen oxides (NO_x).

5.3 Advice for firefighters

- Structural firefighters' protective clothing provides limited protection in fire situations ONLY; it is not effective in spill situations where direct contact with the substance is possible.
Wear chemical protective clothing that is specifically recommended by the manufacturer. It may provide little or no thermal protection.
Wear positive pressure self-contained breathing apparatus (SCBA).

Section 6 - Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal Precautions • Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Do not touch or walk through spilled material.

Emergency Procedures • No emergency procedures are expected to be necessary if material is used under ordinary conditions as recommended. Use normal clean up procedures.

6.2 Environmental precautions

- LARGE SPILLS: Prevent entry into waterways, sewers, basements or confined areas.

6.3 Methods and material for containment and cleaning up

Containment/Clean-up Measures • Use appropriate Personal Protective Equipment (PPE)
Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in suitable container.

6.4 Reference to other sections

- Refer to Section 8 - Exposure Controls/Personal Protection and Section 13 - Disposal Considerations.

Section 7 - Handling and Storage

7.1 Precautions for safe handling

Handling • Use good safety and industrial hygiene practices. Do not expose to sunlight or white room light. Handle under yellow room lights to prevent polymerization due to UV exposure.

7.2 Conditions for safe storage, including any incompatibilities

Storage • Keep container closed when not in use. Store away from extreme heat. Do not freeze.

Special Packaging • Package in opaque containers and/or use additional light-blocking materials.

Materials

7.3 Specific end use(s)

• Refer to Section 1.2 - Relevant identified uses.

Section 8 - Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits/Guidelines • No data available.

8.2 Exposure controls

Engineering Measures/Controls • Local exhaust is recommended but not required. Provide adequate ventilation as necessary.

Personal Protective Equipment

Pictograms



Respiratory • In case of insufficient ventilation, wear suitable respiratory equipment.

Eye/Face • Wear protective eyewear (goggles, face shield, or safety glasses).

Hands • Wear protective gloves - rubber or neoprene.

Skin/Body • Wear protective clothing - apron or other impervious body coverings.

General Industrial Hygiene Considerations • Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

Environmental Exposure Controls • No data available

Section 9 - Physical and Chemical Properties

9.1 Information on Basic Physical and Chemical Properties

Material Description			
Physical Form	Liquid	Appearance/Description	Viscous liquid.
Color	Blue	Odor	Mild
Odor Threshold	No data available	Physical and Chemical Properties	UV reactive.
General Properties			
Boiling Point	100 °C(212 °F)	Melting Point/Freezing Point	0 °C(32 °F)
Decomposition Temperature	No data available	pH	
Specific Gravity/Relative Density	> 1 Water=1	Density	8.9 lbs/gal
Water Solubility	Miscible	Viscosity	6500 to 9500 Centipoise (cPs, cP) or mPas
Explosive Properties	None.	Oxidizing Properties:	None.
Volatility			
Vapor Pressure	No data available	Vapor Density	> 1 Air=1
Evaporation Rate	< 1 Water = 1	VOC (Wt.)	0 %
Volatiles (Wt.)	55 to 60 %		
Flammability			
Flash Point	> 100 °C(> 212 °F)	UEL	No data available
LEL	No data available	Autoignition	No data available

Flammability (solid, gas)	Non-flammable in liquid form. When dry, product will burn as an ordinary combustible material.		
Environmental			
Half-Life	No data available	Octanol/Water Partition coefficient	No data available
Coefficient of water/oil distribution	No data available	Bioaccumulation Factor	No data available
Bioconcentration Factor	No data available	Biochemical Oxygen Demand BOD/BOD5	No data available
Chemical Oxygen Demand	No data available	Persistence	No data available
Degradation	No data available		

9.2 Other Information

- Polymerizes to solid/semisolid form upon exposure to UV radiation.

Section 10: Stability and Reactivity

10.1 Reactivity

- No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

- UV reactive.

10.3 Possibility of hazardous reactions

- Hazardous polymerization will not occur.

10.4 Conditions to avoid

- Excess heat. Direct sunlight. Avoid freezing.

10.5 Incompatible materials

- No data available.

10.6 Hazardous decomposition products

- No decomposition is expected under normal storage and use conditions. Hazardous decomposition products formed under fire conditions - carbon oxides (COx), nitrogen oxides (NOx).

Section 11 - Toxicological Information

11.1 Information on toxicological effects

Components		
Acrylic acid, propylenebis(oxypropylene) ester (2% TO 3%)	42978-66-5	Acute Toxicity: Skin-Rabbit LD50 • >2 g/kg; Irritation: Eye-Rabbit • 100 µL 24 Hour(s) • Severe irritation; Skin-Rabbit • 500 mg • Moderate irritation
Poly(oxy(methyl-1,2-ethanediyl)), alpha, alpha', alpha''-1,2,3-propanetriyltris(omega-((1-oxo-2-propenyl)oxy) (2% TO 3%)	52408-84-1	Multi-dose Toxicity: Skin-Rat TDLo • 4 mL/kg 2 Week(s)-Intermittent; <i>Skin and Appendages:After systemic exposure: Dermatitis, other; Nutritional and Gross Metabolic:Gross Metabolite Changes:Weight loss or decreased weight gain</i>
Benzophenone (1% TO 2%)	119-61-9	Acute Toxicity: Ingestion/Oral-Rat LD50 • >10 g/kg; Skin-Rabbit LD50 • 3535 mg/kg
1-Butanone, 2-(dimethylamino)-1-(4-(4-morpholinyl)phenyl)-2-(phenylmethyl) (< 1%)	119313-12-1	Acute Toxicity: Ingestion/Oral-Rat LD50 • 2000 mg/kg; Skin-Rat LD50 • 2000 mg/kg; Multi-dose Toxicity: Ingestion/Oral-Rat TDLo • 42 g/kg 14 Day(s)-Continuous; <i>Behavioral:Tremor; Behavioral:Ataxia</i>

GHS Properties	Classification
Skin sensitization	EU/CLP•Skin Sensitizer 1 UN GHS 6•Skin Sensitizer 1 OSHA HCS 2012•Skin Sensitizer 1 WHMIS 2015•Skin Sensitizer 1

Medical Conditions Aggravated by Exposure • No data available.

Potential Health Effects

Inhalation

Acute (Immediate)

- May cause irritation.

Chronic (Delayed)

- Repeated and prolonged exposure may cause irritation.

Skin

Acute (Immediate)

- May cause an allergic skin reaction. May cause irritation.

Chronic (Delayed)

- Repeated and prolonged exposure may cause sensitization. Repeated and prolonged exposure may cause irritation.

Eye

Acute (Immediate)

- May cause irritation.

Chronic (Delayed)

- Repeated and prolonged exposure may cause irritation.

Ingestion

Acute (Immediate)

- May cause irritation.

Chronic (Delayed)

- Repeated and prolonged exposure may cause irritation.

Mutagenic Effects

- No data available.

Carcinogenic Effects			
	CAS	IARC	NTP
Benzophenone	119-61-9	Group 2B-Possible Carcinogen	Evidence of Carcinogenicity

Reproductive Effects

- No data available.

Section 12 - Ecological Information

12.1 Toxicity

Components		
Benzophenone (1% TO 2%)	119-61-9	Aquatic Toxicity-Fish: 96 Hour(s) LC50 <i>fathead minnow</i> 14.2 mg/L Aquatic Toxicity-Crustacea: 24 Hour(s) EC50 <i>Daphnia magna</i> 0.28 mg/L
1-Butanone, 2-(dimethylamino)-1-(4-(4-morpholinyl)phenyl)-2-(phenylmethyl) (< 1%)	119313-12-1	Aquatic Toxicity-Fish: 96 Hour(s) LC50 <i>Brachydanio rerio</i> 0.46 mg/L Aquatic Toxicity-Crustacea: 24 Hour(s) EC50 Water Flea <i>Daphnia magna</i> >0.8 mg/L

12.2 Persistence and degradability

- No data available.

12.3 Bioaccumulative potential

- No data available.

12.4 Mobility in Soil

- No data available.

12.5 Results of PBT and vPvB assessment

- No data available

12.6 Other adverse effects

Ecological Fate

- No data available.

Potential Environmental Effects

- May cause long lasting harmful effects to aquatic life.

Section 13 - Disposal Considerations

13.1 Waste treatment methods

Product waste

- Dispose of content in accordance with local, regional, national, and/or international regulations.

Packaging waste

- Dispose of container in accordance with local, regional, national, and/or international regulations.

13.2 Other Information

- Dispose of wastes in an approved waste disposal facility. Avoid release to the environment.

Section 14 - Transport Information

	14.1 UN number	14.2 UN proper shipping name	14.3 Transport hazard class(es)	14.4 Packing group	14.5 Environmental hazards
DOT	NDA	NDA	NDA	NDA	NDA
IMO/IMDG	NDA	NDA	NDA	NDA	NDA
IATA/ICAO	NDA	NDA	NDA	NDA	NDA

14.6 Special precautions for user

- None specified.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

- Not relevant.

14.8 Other information

DOT • Not regulated.

IMO/IMDG • Not regulated.

IATA/ICAO • Not regulated.

Section 15 - Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

SARA Hazard Classifications • Acute

Inventory						
Component	CAS	Australia AICS	Canada DSL	China	EU EINECS	EU ELNICS
1-Butanone, 2-(dimethylamino)-1-(4-(4-morpholinyl)phenyl)-2-(phenylmethyl)	119313-12-1	Yes	Yes	Yes	No	Yes
1-hydroxycyclohexyl phenyl ketone	947-19-3	Yes	Yes	Yes	Yes	No
Acrylic acid, propylenebis(oxypropylene) ester	42978-66-5	Yes	Yes	Yes	Yes	No
Benzophenone	119-61-9	Yes	Yes	Yes	Yes	No
Poly(oxy(methyl-1,2-ethanediyl)), alpha,alpha',alpha"-1,2,3-propanetriyltris(omega-((1-oxo-2-propenyl)oxy)	52408-84-1	Yes	Yes	Yes	No	No
Inventory (Con't.)						
Component	CAS	Japan ENCS	Korea KECL	New Zealand	Philippines PICCS	Switzerland SWISS
1-Butanone, 2-(dimethylamino)-1-(4-(4-morpholinyl)phenyl)-2-(phenylmethyl)	119313-12-1	Yes	No	Yes	Yes	Yes
1-hydroxycyclohexyl phenyl ketone	947-19-3	Yes	Yes	Yes	Yes	No
Acrylic acid, propylenebis(oxypropylene) ester	42978-66-5	Yes	Yes	Yes	Yes	No
Benzophenone	119-61-9	Yes	Yes	Yes	Yes	No
Poly(oxy(methyl-1,2-ethanediyl)), alpha,alpha',alpha"-1,2,3-	52408-84-1	Yes	Yes	Yes	Yes	Yes

propanetriyltris(omega-((1-oxo-2-propenyl)oxy)					
Inventory (Con't.)					
Component	CAS	TSCA			
1-Butanone, 2-(dimethylamino)-1-(4-(4-morpholinyl)phenyl)-2-(phenylmethyl)	119313-12-1	Yes			
1-hydroxycyclohexyl phenyl ketone	947-19-3	Yes			
Acrylic acid, propylenebis(oxypropylene) ester	42978-66-5	Yes			
Benzophenone	119-61-9	Yes			
Poly(oxy(methyl-1,2-ethanediy)), alpha,alpha',alpha"-1,2,3-propanetriyltris(omega-((1-oxo-2-propenyl)oxy)	52408-84-1	Yes			

Australia

Labor

Australia - High Volume Industrial Chemicals List

•Acrylic acid, propylenebis(oxypropylene) ester	42978-66-5	
•1-hydroxycyclohexyl phenyl ketone	947-19-3	Not Listed
•Poly(oxy(methyl-1,2-ethanediy)), alpha,alpha',alpha"-1,2,3-propanetriyltris(omega-((1-oxo-2-propenyl)oxy)	52408-84-1	Not Listed
•Benzophenone	119-61-9	Not Listed
•1-Butanone, 2-(dimethylamino)-1-(4-(4-morpholinyl)phenyl)-2-(phenylmethyl)	119313-12-1	Not Listed

Denmark

Environment

Denmark - Advisory List for Self-Classification of Dangerous Substances

•Acrylic acid, propylenebis(oxypropylene) ester	42978-66-5	Not Listed
•1-hydroxycyclohexyl phenyl ketone	947-19-3	R52/53
•Poly(oxy(methyl-1,2-ethanediy)), alpha,alpha',alpha"-1,2,3-propanetriyltris(omega-((1-oxo-2-propenyl)oxy)	52408-84-1	Not Listed
•Benzophenone	119-61-9	Not Listed
•1-Butanone, 2-(dimethylamino)-1-(4-(4-morpholinyl)phenyl)-2-(phenylmethyl)	119313-12-1	Not Listed

Europe

Other

EU - Endocrine Disrupters (COM (2001)262) - Candidate List of Substances

•Acrylic acid, propylenebis(oxypropylene) ester	42978-66-5	Not Listed
•1-hydroxycyclohexyl phenyl ketone	947-19-3	Not Listed
•Poly(oxy(methyl-1,2-ethanediy)), alpha,alpha',alpha"-1,2,3-propanetriyltris(omega-((1-oxo-2-propenyl)oxy)	52408-84-1	Not Listed
•Benzophenone	119-61-9	Group III Chemical
•1-Butanone, 2-(dimethylamino)-1-(4-(4-morpholinyl)phenyl)-2-(phenylmethyl)	119313-12-1	Not Listed

EU - No-Longer Polymers List (67/548/EEC)

•Acrylic acid, propylenebis(oxypropylene) ester	42978-66-5	Not Listed
•1-hydroxycyclohexyl phenyl ketone	947-19-3	Not Listed
•Poly(oxy(methyl-1,2-ethanediy)), alpha,alpha',alpha"-1,2,3-propanetriyltris(omega-((1-oxo-2-propenyl)oxy)	52408-84-1	NLP No. 500-114-5 (>1<6.5 mol propoxylated units)
•Benzophenone	119-61-9	Not Listed
•1-Butanone, 2-(dimethylamino)-1-(4-(4-morpholinyl)phenyl)-2-(phenylmethyl)	119313-12-1	Not Listed

Germany

Environment

Germany - Water Classification (VwVwS) - Annex 2 - Water Hazard Classes

•Acrylic acid, propylenebis(oxypropylene) ester	42978-66-5	ID Number 1868, hazard class 2 - hazard to waters
•1-hydroxycyclohexyl phenyl ketone	947-19-3	Not Listed
•Poly(oxy(methyl-1,2-ethanediy)), alpha,alpha',alpha"-1,2,3-propanetriyltris(omega-((1-oxo-2-propenyl)oxy)	52408-84-1	Not Listed
•Benzophenone	119-61-9	Not Listed
•1-Butanone, 2-(dimethylamino)-1-(4-(4-morpholinyl)phenyl)-2-(phenylmethyl)	119313-12-1	Not Listed

Germany - Water Classification (VwVwS) - Annex 3

•Acrylic acid, propylenebis(oxypropylene) ester	42978-66-5	Not Listed
•1-hydroxycyclohexyl phenyl ketone	947-19-3	Not Listed

•Poly(oxy(methyl-1,2-ethanediy)), alpha,alpha',alpha"-1,2,3-propanetriyltris(omega-((1-oxo-2-propenyl)oxy)	52408-84-1	ID Number 8453, hazard class 1 - low hazard to waters (1-6.5 PO)
•Benzophenone	119-61-9	ID Number 2024, hazard class 2 - hazard to waters
•1-Butanone, 2-(dimethylamino)-1-(4-(4-morpholinyl)phenyl)-2-(phenylmethyl)	119313-12-1	ID Number 2102, hazard class 2 - hazard to waters

Japan

Environment

Japan - Pollutant Release Transfer Register (PRTR) - Class 1 Substances

•Acrylic acid, propylenebis(oxypropylene) ester	42978-66-5	Not Listed
•1-hydroxycyclohexyl phenyl ketone	947-19-3	Not Listed
•Poly(oxy(methyl-1,2-ethanediy)), alpha,alpha',alpha"-1,2,3-propanetriyltris(omega-((1-oxo-2-propenyl)oxy)	52408-84-1	Not Listed
•Benzophenone	119-61-9	403 >=1 %
•1-Butanone, 2-(dimethylamino)-1-(4-(4-morpholinyl)phenyl)-2-(phenylmethyl)	119313-12-1	Not Listed

Inventory - Japan - Industrial Safety and Health Law Substances (ISHL)

•Acrylic acid, propylenebis(oxypropylene) ester	42978-66-5	9-768, 9-2531
•1-hydroxycyclohexyl phenyl ketone	947-19-3	7-(4)-697
•Poly(oxy(methyl-1,2-ethanediy)), alpha,alpha',alpha"-1,2,3-propanetriyltris(omega-((1-oxo-2-propenyl)oxy)	52408-84-1	10-2655
•Benzophenone	119-61-9	Not Listed
•1-Butanone, 2-(dimethylamino)-1-(4-(4-morpholinyl)phenyl)-2-(phenylmethyl)	119313-12-1	8-(7)-927

Other

Japan - Chemical Substance Control Law (CSCL) - Examined Existing Chemical Substances

•Acrylic acid, propylenebis(oxypropylene) ester	42978-66-5	Not Listed
•1-hydroxycyclohexyl phenyl ketone	947-19-3	Not Listed
•Poly(oxy(methyl-1,2-ethanediy)), alpha,alpha',alpha"-1,2,3-propanetriyltris(omega-((1-oxo-2-propenyl)oxy)	52408-84-1	Not Listed
•Benzophenone	119-61-9	Non-biodegradable/Low bioconcentration
•1-Butanone, 2-(dimethylamino)-1-(4-(4-morpholinyl)phenyl)-2-(phenylmethyl)	119313-12-1	Not Listed

Japan - Fire Service Law - Hazardous Materials

•Acrylic acid, propylenebis(oxypropylene) ester	42978-66-5	Group 4 Flammable liquids; 3rd Class Petroleum - insoluble; Hazard rank III
•1-hydroxycyclohexyl phenyl ketone	947-19-3	Not Listed
•Poly(oxy(methyl-1,2-ethanediy)), alpha,alpha',alpha"-1,2,3-propanetriyltris(omega-((1-oxo-2-propenyl)oxy)	52408-84-1	Not Listed
•Benzophenone	119-61-9	Not Listed
•1-Butanone, 2-(dimethylamino)-1-(4-(4-morpholinyl)phenyl)-2-(phenylmethyl)	119313-12-1	Not Listed

Korea

Labor

Korea - ISHA - Name, Toxicity and Protective Measures of New Chemical Substances

•Acrylic acid, propylenebis(oxypropylene) ester	42978-66-5	Not Listed
•1-hydroxycyclohexyl phenyl ketone	947-19-3	Not Listed
•Poly(oxy(methyl-1,2-ethanediy)), alpha,alpha',alpha"-1,2,3-propanetriyltris(omega-((1-oxo-2-propenyl)oxy)	52408-84-1	Not Listed
•Benzophenone	119-61-9	Not Listed
•1-Butanone, 2-(dimethylamino)-1-(4-(4-morpholinyl)phenyl)-2-(phenylmethyl)	119313-12-1	94-20 (0055)

United States - California

Environment

U.S. - California - Proposition 65 - Carcinogens List

•Acrylic acid, propylenebis(oxypropylene) ester	42978-66-5	Not Listed
•1-hydroxycyclohexyl phenyl ketone	947-19-3	Not Listed
•Poly(oxy(methyl-1,2-ethanediy)), alpha,alpha',alpha"-1,2,3-propanetriyltris(omega-((1-oxo-2-propenyl)oxy)	52408-84-1	Not Listed
•Benzophenone	119-61-9	carcinogen, 6/22/2012
•1-Butanone, 2-(dimethylamino)-1-(4-(4-morpholinyl)phenyl)-2-(phenylmethyl)	119313-12-1	Not Listed

15.2 Chemical Safety Assessment

- No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

15.3 Other Information

- California Proposition 65: This product can expose you to chemicals known to the State of California to cause cancer:

Benzophenone	CAS No. 119-61-9	1-2%
1,4-Dioxane	CAS No. 123-91-1	<0.0001%

Section 16 - Other Information

Relevant Phrases (code & full text)

- H317 - May cause an allergic skin reaction
- H401 - Toxic to aquatic life
- H412 - Harmful to aquatic life with long lasting effects
- P261 - Avoid breathing dust, fume, gas, mist, vapors and/or spray.
- P272 - Contaminated work clothing should not be allowed out of the workplace.
- P273 - Avoid release to the environment.
- P280 - Wear protective gloves/protective clothing/eye protection/face protection.
- P302+P352 - IF ON SKIN: Wash with plenty of soap and water.
- P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P321 - Specific treatment, see supplemental first aid information.
- P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
- P337+P313 - If eye irritation persists: Get medical advice/attention.
- P362 - Take off contaminated clothing and wash before reuse.
- P501 - Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.
- EUH208 - Contains sensitizing substance. May produce an allergic reaction.

Classification method for mixtures

- Calculation method.

Last Revision Date

- 02 August 2018

Preparation Date

- 17 February 2020

Other Information

- Approved by: Troy Bergstedt, Director of Chemical Research, (218) 628-2217 ext.142.

Disclaimer/Statement of Liability

- The information contained herein is based on data available to us and is believed to be correct. Since this information may have been obtained in part from independent laboratories or other sources not under direct supervision, no representation is made that the information is accurate, reliable, complete, or representative and Buyer may rely thereon only at the Buyer's risk. We make no guarantee that the health and safety precautions we have suggested will be adequate for all individuals and / or situations involving its handling and uses. No warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. Vendor assumes no responsibility for injury to vendee or third person proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet.