

Safety Data Sheet

Revision: 07 November 2024

Supersedes: 04 March 2022

IKONICS®

Section 1: Identification of the Substance/Mixture and of the Company/Undertaking

1.1 Product identifier

Product Name: DTX R.P.F.

Product Description: Clear liquid

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified use(s): Prototyping inkjet fluid

1.3 Details of the supplier of the safety data sheet

Manufacturer IKONICS
4832 Grand Ave.
Duluth, MN 55807
United States
www.ikonics.com
sds@ikonics.com

Telephone (General): (218) 628-2217

Telephone (General): (800) 328-4261 - Toll free

1.4 Emergency telephone number

Chemtrec: 1-800-424-9300 - Within USA and Canada

+1 703-527-3887 - Outside USA and Canada (collect calls accepted)

Section 2: Hazards Identification

EU/EEC

According to EU Directive 1272/2008 (CLP)/REACH 1907/2006 [amended by 2020/878]

2.1 Classification of the substance or mixture

CLP

Hazard Class	Category	Code
Skin Irritation	2	H315
Skin Sensitization	1	H317
Eye Irritation	2	H319

2.2 Label Elements

CLP

WARNING



Hazard Statement	Code
Causes skin irritation	H315
May cause an allergic skin reaction	H317
Causes serious eye irritation	H319
Contains sensitizing substance (Poly(oxy-1,2-ethanediyl), a-(1-oxo-2-propenyl)-w-[4-(1-methyl-1-phenylethyl)phenoxy]-; Phosphine oxide, phenylbis (2,4,6-trimethyl benzoyl); 4-Methoxyphenol). May produce an allergic reaction.	EUH208

Precautionary Measures

Category	Code	Statement
Prevention	P261	Avoid breathing dust/fume/gas/mist/vapors/spray.
	P264	Wash thoroughly after handling.
	P272	Contaminated work clothing should not be allowed out of the workplace.
	P280	Wear protective gloves/protective clothing/eye protection/face protection.
Response	P302+P352	IF ON SKIN: Wash with plenty of soap and water.
	P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
	P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P337+P313	If eye irritation persists: Get medical advice/attention.
	P362+P364	Take off contaminated clothing and wash it before reuse.
Storage		
Disposal	P501	Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

2.3 Other Hazards

CLP

This mixture does not meet the criteria for persistent, bioaccumulative and toxic or very persistent and very bioaccumulative in accordance with REACH Annex XIII.

Endocrine Disrupting Properties

Human Health: This mixture does not contain components having endocrine disrupting properties in accordance with REACH Article 59(1), Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/603 at a concentration equal to or greater than 0.1% by weight.

Environment: This mixture does not contain components having endocrine disrupting properties in accordance with REACH Article 59(1), Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/603 at a concentration equal to or greater than 0.1% by weight.

UN GHS

According to UN Globally Harmonized System of Classification and Labelling of Chemicals (GHS): Eighth Revised Edition

2.1 Classification of the substance or mixture

UN GHS

Hazard Class	Category	Code
Skin Irritation	2	H315
Skin Sensitization	1	H317
Eye Irritation	2	H319

2.2 Label Elements

UN GHS

WARNING



Hazard Statement	Code
Causes skin irritation	H315
May cause an allergic skin reaction	H317
Causes serious eye irritation	H319

Precautionary Measures

Category	Code	Statement
Prevention	P261	Avoid breathing dust/fume/gas/mist/vapors/spray.
	P264	Wash thoroughly after handling.
	P272	Contaminated work clothing should not be allowed out of the workplace.
	P280	Wear protective gloves/protective clothing/eye protection/face protection.
Response	P302+P352	IF ON SKIN: Wash with plenty of soap and water.
	P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
	P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P337+P313	If eye irritation persists: Get medical advice/attention.
	P362+P364	Take off contaminated clothing and wash it before reuse.
Storage		
Disposal	P501	Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

2.3 Other hazards

UN GHS No data available

United States (US)

According to OSHA 29 CFR 1910.1200 HCS

2.1 Classification of the substance or mixture

OSHA HCS 2012

Hazard Class	Category	Code
Skin Irritation	2	H315
Skin Sensitization	1	H317
Eye Irritation	2	H319

2.2 Label Elements

OSHA HCS 2012

WARNING



Hazard Statement	Code
Causes skin irritation	H315
May cause an allergic skin reaction	H317

Causes serious eye irritation	H319
-------------------------------	------

Precautionary Measures

Category	Code	Statement
Prevention	P261	Avoid breathing dust/fume/gas/mist/vapors/spray.
	P264	Wash thoroughly after handling.
	P272	Contaminated work clothing should not be allowed out of the workplace.
	P280	Wear protective gloves/protective clothing/eye protection/face protection.
Response	P302+P352	IF ON SKIN: Wash with plenty of soap and water.
	P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
	P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P337+P313	If eye irritation persists: Get medical advice/attention.
	P362+P364	Take off contaminated clothing and wash it before reuse.
Storage		
Disposal	P501	Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

2.3 Other hazards

OSHA HCS 2012 No data available

Canada

According to WHMIS 2015

2.1 Classification of the substance or mixture

WHMIS 2015

Hazard Class	Category	Code
Skin Irritation	2	H315
Skin Sensitization	1	H317
Eye Irritation	2	H319

2.2 Label Elements

WHMIS 2015

WARNING



Hazard Statement	Code
Causes skin irritation	H315
May cause an allergic skin reaction	H317
Causes serious eye irritation	H319

Precautionary Measures

Category	Code	Statement
Prevention	P261	Avoid breathing dust/fume/gas/mist/vapors/spray.
	P264	Wash thoroughly after handling.
	P272	Contaminated work clothing should not be allowed out of the workplace.
	P280	Wear protective gloves/protective clothing/eye protection/face protection.
Response	P302+P352	IF ON SKIN: Wash with plenty of soap and water.
	P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
	P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P337+P313	If eye irritation persists: Get medical advice/attention.
	P362+P364	Take off contaminated clothing and wash it before reuse.
Storage		
Disposal	P501	Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

2.3 Other hazards

WHMIS 2015 No data available

2.4 Other information

NFPA



Section 3 - Composition/Information on Ingredients

3.1 Substances

3.2 Mixtures

Chemical Name	CAS number	%	LD50/LC50	Classifications According to Regulation/Directive
Poly(oxy-1,2-ethanediyl), a-(1-oxo-2-propenyl)-w-[4-(1-methyl-1-phenylethyl)phenoxy]-	68644-83-7	85-95%		GHS / CLP / OSHA / WHMIS: Skin Irrit. 2; Eye Irrit. 2; Skin Sens. 1
Phosphine oxide, phenylbis (2,4,6-trimethyl benzoyl)	162881-26-7	1-3%	Ingestion/Oral-Rat LD50 >2000 mg/kg; Skin-Rat LD50 >2000 mg/kg	GHS / CLP / OSHA / WHMIS: Eye Irrit. 2A; Skin Sens. 1
Acrylic acid	79-10-7	<0.24%	Ingestion/Oral-Rat LD50 >2000 mg/kg; Skin-Rabbit LD50 1000 mg/kg	GHS / CLP: Flam Liq. 3; Acute Tox. 4; Skin Corr. 1; Aquatic Acute 1 OSHA / WHMIS: Flam Liq. 3; Acute Tox. 4; Skin Corr. 1
4-Methoxyphenol	150-76-5	<0.11%	Ingestion/Oral-Rat LD50 1600 mg/kg; Skin-Rat LD50 >2000 mg/kg	GHS / CLP / OSHA / WHMIS: Acute Tox. 4; Eye Irrit. 2; Skin Sens. 1

Section 4 - First Aid Measures

4.1 Description of first aid measures

Inhalation. If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, give artificial respiration and call 911 or emergency medical service.

Skin. Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention.

Eye. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Ingestion. If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Rinse mouth. Never give anything by mouth to an unconscious person. If large quantities are swallowed, call a physician immediately.

4.2 Most important symptoms and effects, both acute and delayed

Refer to Section 11 – Toxicological Information

4.3 Indication of any immediate medical attention and special treatment needed

No data available

Section 5 - Firefighting Measures

5.1 Extinguishing media

Suitable extinguishing media. SMALL FIRES: Dry chemical, CO₂, water spray or regular foam. LARGE FIRE: Water spray, fog or regular foam.

Unsuitable extinguishing media. No data available

Firefighting procedures. Fire fighters should wear complete protective clothing including self-contained breathing apparatus. Keep unauthorized personnel away. Ventilate closed spaces before entering. LARGE FIRES: Use extinguishing agent suitable for type of surrounding fire.

5.2 Special hazards arising from the substance or mixture

Unusual fire and explosion hazards. Material may burn, but does not ignite readily.

Hazardous combustion products. Products of combustion include: carbon oxides (CO_x).

5.3 Advice for firefighters

Structural firefighters' protective clothing provides limited protection in fire situations ONLY; it is not effective in spill situations where direct contact with the substance is possible. Wear chemical protective clothing that is specifically recommended by the manufacturer. It may provide little or no thermal protection. Wear positive pressure self-contained breathing apparatus (SCBA).

Section 6 - Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

Emergency procedures. No emergency procedures are expected to be necessary if material is used under ordinary conditions as recommended. Use normal clean up procedures.

6.2 Environmental precautions

LARGE SPILLS: Prevent entry into waterways, sewers, basements or confined areas

6.3 Methods and material for containment and cleaning up

Containment/clean-up measures. Use appropriate Personal Protective Equipment (PPE). Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in suitable container.

6.4 Reference to other sections

Refer to Section 8 - Exposure Controls/Personal Protection and Section 13 - Disposal Considerations.

Section 7 - Handling and Storage

7.1 Precautions for safe handling

Use good safety and industrial hygiene practices.

7.2 Conditions for safe storage, including any incompatibilities

Keep container closed when not in use. Store away from extreme heat. Do not freeze.

7.3 Specific end use(s)

Refer to Section 1.2 - Relevant identified uses.

Section 8 - Exposure Controls/Personal Protection

8.1 Control parameters

None specified.

8.2 Exposure controls

Engineering measures/controls. Local exhaust is recommended but not required. Provide adequate ventilation as necessary.

Personal Protective Equipment

Pictograms



Respiratory: Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or symptoms are experienced.

Eye/Face: Wear protective eyewear (goggles, face shield, or safety glasses).

Hands: Wear protective gloves - rubber or neoprene.

Skin/Body: Wear protective clothing - apron or other impervious body coverings.

General industrial hygiene considerations: Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

Environmental exposure controls: No data available

Section 9 - Physical and Chemical Properties

9.1 Information on Physical and Chemical Properties

Material Description			
Physical Form	Liquid	Appearance/Description	Clear
Color	Colorless	Odor	Mild
General Properties			
Boiling Point	No data available	Melting/Freezing Point	No data available
Decomposition Temperature	No data available	pH	No data available
Density	1.099 kg/L (9.17 lb/gal)	Water Solubility	Insoluble
Viscosity	200 Centipoise (cPs, cP) or mPas @ 25 C (77 F)	Kinematic Viscosity	182 mm ² /s
Explosive Properties	Not relevant	Oxidizing Properties	Not relevant
Volatility			
Vapor Pressure	No data available	Vapor Density	No data available
Evaporation Rate	No data available	VOC (Wt.)	< 0.25 %
Volatiles (Wt.)	< 0.25 %		
Flammability			
Flash Point	No data available	UEL	No data available
LEL	No data available	Autoignition	No data available
Flammability (solid, gas)	Not relevant		
Environmental			
Half-Life	No data available	Octanol/Water Partition coefficient	No data available
Coefficient of water/oil distribution	No data available	Bioaccumulation Factor	No data available
Bioconcentration Factor	No data available	Biochemical Oxygen Demand BOD/BOD5	No data available
Chemical Oxygen Demand	No data available	Persistence	No data available
Degradation	No data available		

9.2 Other Information

No data available

Section 10: Stability and Reactivity

10.1 Reactivity. No dangerous reaction known under conditions of normal use.

10.2 Chemical stability. UV reactive.

10.3 Possibility of hazardous reactions. Hazardous polymerization will not occur.

10.4 Conditions to avoid. Direct sunlight. Excess heat. Avoid freezing.

10.5 Incompatible materials. No data available.

10.6 Hazardous decomposition products. Hazardous decomposition products formed under fire conditions - carbon oxides (COx). No decomposition is expected under normal storage and use conditions.

Section 11 - Toxicological Information

11.1 Information on toxicological effects

Hazard	Hazard Classification
Acute toxicity	Based on available data, the classification criteria are not met
Skin corrosion/irritation	Skin Irritation 2
Serious eye damage/irritation	Eye Irritation 2
Respiratory/skin sensitization	Skin Sensitization 1
Germ cell mutagenicity	Based on available data, the classification criteria are not met
Carcinogenicity	Based on available data, the classification criteria are not met
Reproductive toxicity	Based on available data, the classification criteria are not met
STOT-Single Exposure	Based on available data, the classification criteria are not met
STOT-Repeated Exposure	Based on available data, the classification criteria are not met
Aspiration	Based on available data, the classification criteria are not met

Route(s) of entry/exposure: Skin, eye, ingestion

Potential Health Effects

Inhalation

Acute (Immediate): No specific information available.

Chronic (Delayed): Repeated and prolonged exposure may cause irritation.

Skin

Acute (Immediate): May cause irritation.

Chronic (Delayed): Repeated and prolonged exposure may cause an allergic skin reaction.

Eye

Acute (Immediate): Causes serious eye irritation.

Chronic (Delayed): Repeated and prolonged exposure may be harmful.

Ingestion

Acute (Immediate): May cause irritation.

Chronic (Delayed): No specific information available.

Section 12 - Ecological Information

12.1 Toxicity

Phosphine oxide, phenylbis (2,4,6-trimethyl benzoyl), CAS 162881-26-7

Toxicity to fish LC50 - Danio rerio (zebra fish) - > 0.09 mg/l - 96 h

Toxicity to daphnia EC50 - Daphnia magna (Water flea) - > 1.17 mg/l - 48 h

Toxicity to algae ErC50 - Desmodesmus subspicatus (green algae) - > 0.26 mg/l - 72 h

Acrylic acid, CAS 79-10-7

Toxicity to fish LC50 - Oncorhynchus mykiss (rainbow trout) - 27 mg/l - 96 h

Toxicity to daphnia EC50 - Daphnia magna (Water flea) - 95 mg/l - 48 h

4-Methoxyphenol, CAS 150-76-5

Toxicity to fish LC50 - Oncorhynchus mykiss (rainbow trout) - 28.5 mg/l - 96 h

Toxicity to daphnia EC50 - Daphnia magna (Water flea) - 3 mg/l - 48 h

Toxicity to algae EC50 - Pseudokirchneriella subcapitata (green algae) - 54.7 mg/l - 72 h

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in Soil

No data available

12.5 Results of PBT and vPvB assessment

No data available

12.6 Endocrine disrupting properties

No endocrine disrupting components identified

12.7 Other adverse effects

None noted

Section 13 - Disposal Considerations

13.1 Waste treatment methods

Product waste: Dispose of content in accordance with local, regional, national, and/or international regulations.

Packaging waste: Dispose of container in accordance with local, regional, national, and/or international regulations.

13.2 Other Information

Dispose of wastes in an approved waste disposal facility.

Section 14 - Transport Information

	14.1 UN number	14.2 UN proper shipping name	14.3 Transport hazard class(es)	14.4 Packing group	14.5 Environmental hazards
DOT	NDA	NDA	NDA	NDA	NDA
IMO/IMDG	NDA	NDA	NDA	NDA	NDA
IATA/ICAO	NDA	NDA	NDA	NDA	NDA

14.6 Special precautions for user. None specified.

14.7 Transport in bulk according to IMO instruments. Not relevant.

14.8 Other information

DOT Not regulated.
IMO/IMDG Not regulated.
IATA/ICAO Not regulated.

Section 15 - Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

SARA hazard classifications. Acute hazard

REACH compliance. No components at a concentration of 0.1% w/w or above are included in the Authorization List or the Candidate List of Substances of Very High Concern for Authorization.

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

15.3 Other information

California Proposition 65: This product can expose you to chemicals known to the State of California to cause cancer:

Toluene CAS No. 108-88-3 <0.05%

Section 16 - Other Information

Relevant phrases (code & full text)

H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.

H319 - Causes serious eye irritation.

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.

P264 - Wash thoroughly after handling.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 - IF ON SKIN: Wash with plenty of soap and water.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 - If eye irritation persists: Get medical advice/attention.

P362+P364 - Take off contaminated clothing and wash it before reuse.

P501 - Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

EUH208 - Contains sensitizing substances. May produce an allergic reaction.

Classification method for mixtures: Calculation method.

Last revision date: 04 March 2022

Preparation date: 07 November 2024

Changes to the current revision: Regulatory updates in Section 2; composition information in Section 3; physical and chemical properties in Section 9; general formatting.

Other information

Approved by: Troy Bergstedt, Director of Chemical Research, (218) 628-2217 ext.142.

Disclaimer/Statement of Liability. The information contained herein is based on data available to us and is believed to be correct. Since this information may have been obtained in part from independent laboratories or other sources not under direct supervision, no representation is made that the information is accurate, reliable, complete, or representative and Buyer may rely thereon only at the Buyer's risk. We make no guarantee that the health and safety precautions we have suggested will be adequate for all individuals and / or situations involving its handling and uses. No warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. Vendor assumes no responsibility for injury to vendee or third person proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet.